

OTTOFLEX

Protective tape

Technical Datasheet

Characteristics:	<ul style="list-style-type: none"> Self-adhesive protective tape, tight-edged woven with double fabric in the middle Protection of the compound seal (e.g. OTTOFLEX sealing tape) against inadvertent separation in a sanitation case Textile made from polyamide and aramid with hot-melt adhesive and peel-off foil Thin to ensure it doesn't come across as too thick underneath the tile Flexible for easy processing 																
Fields of application:	<ul style="list-style-type: none"> Self-adhesive protective tape as a supplement for sealing tapes for use in the areas of silicone joints All joint areas which need to be cut-proof. Wall joint, floor joint, bath and shower edge 																
Technical properties:	<table> <tr> <td>Colour</td> <td>raw white</td> </tr> <tr> <td>Total thickness [mm]</td> <td>0,75</td> </tr> <tr> <td>Total width [mm]</td> <td>50</td> </tr> <tr> <td>Wide cut protection zone [mm]</td> <td>40</td> </tr> <tr> <td>Leaf width per [mm]</td> <td>5</td> </tr> <tr> <td>Temperature resistance from/to [°C]</td> <td>- 5 / + 60</td> </tr> <tr> <td>Peel test on neutral PVC carrier [N/20mm]</td> <td>10</td> </tr> <tr> <td>Shelf life at 23 °C/50 % RH [months]</td> <td>18</td> </tr> </table> <p>These data are not suitable for the issue of specifications. Please contact OTTO-CHEMIE before issuing specifications.</p>	Colour	raw white	Total thickness [mm]	0,75	Total width [mm]	50	Wide cut protection zone [mm]	40	Leaf width per [mm]	5	Temperature resistance from/to [°C]	- 5 / + 60	Peel test on neutral PVC carrier [N/20mm]	10	Shelf life at 23 °C/50 % RH [months]	18
Colour	raw white																
Total thickness [mm]	0,75																
Total width [mm]	50																
Wide cut protection zone [mm]	40																
Leaf width per [mm]	5																
Temperature resistance from/to [°C]	- 5 / + 60																
Peel test on neutral PVC carrier [N/20mm]	10																
Shelf life at 23 °C/50 % RH [months]	18																
Application information:	<p>Once the peel-off foil has been removed from the rear, the tape is applied to the self-adhesive side on the sealing tape to be protected.</p> <p>Please also see our user videos on our homepage (http://www.otto-chemie.de/de/anwendungsvideos). Due to the many possible influences during and after application, the customer always has to carry out trials first.</p>																
Packaging:	<p>Roll length: 10 m in a cardboard dispenser Order code: OFSCHUTZ10</p> <p>Roll length: 25 m in a cardboard dispenser Order code: OFSCHUTZ25</p>																
Disposal:	<p>Product residues can be disposed of along with industrial waste as mixed plastics. Packaging materials (cardboard boxes, foils) are recyclable and hence should be recycled.</p>																
Warranty information:	<p>All information in this publication is based on our current technical knowledge and experience. However, since conditions and methods of use and application of our products are beyond our control, we suggest that you test the product before final use. Information given in this technical data sheet and explanations of OTTO-CHEMIE in connection with this technical data sheet (e.g. service description, reference to DIN regulations etc.) is not to be seen as a warranty. Warranties require a separate written declaration of OTTO-CHEMIE to prove their validity. The characteristics stated in this data sheet define the characteristics of the article broadly and conclusively. Suggestions of use are not to be taken as confirmation of the appropriateness for the recommended intended use. We reserve the right to alter the</p>																

product, adjusting it according to technical progress and new developments. We are at your disposal both for inquiries as well as specific application problems. If a governmental approval or clearance is necessary for the application of our products, the user is responsible for the obtainment of such. Our recommendations do not excuse the user from the obligation to take into consideration the possibility of infringement of third parties' rights and - if necessary - resolving it. For the rest our general terms and conditions apply, in particular regarding a possible liability for defects. You can find our general terms and conditions on our homepage: <http://www.otto-chemie.de/en/terms-and-conditions>