Revision: 15.09.2022

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.09.2022

Version 3 (replaces version 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: OTTO Cleaner MP CAS Number: 34590-94-8

• **EC number:** 252-104-2

· Registration number 01-2119450011-60-xxxx

· Application of the substance / the mixture Cleaning material/ Detergent

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Hermann Otto GmbH Krankenhausstraße 14 D-83413 Fridolfing

Tel.: 0049/(0)8684/908-0 Fax.: 0049/(0)8684/908-1840

· Further information obtainable from:

Tel.: 0049- (0)8684- 908- 2363 (-4300) E-Mail: alois.parzinger@otto-chemie.de • 1.4 Emergency telephone number:

Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)

+44 1865 407333 (Carechem 24)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The substance is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Ensure good ventilation during application and curing.

Keep out of the reach of children.

Avoid contact with skin.

Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description:

2-Methoxy-methylethoxy-propanol

- · Identification number(s):
- **EC number:** 252-104-2

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.

(Contd. on page 2)

Printing date 15.09.2022 Version 3 (replaces version 2) Revision: 15.09.2022

Trade name: OTTO Cleaner MP

(Contd. of page 1)

· After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

· 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Ensure adequate ventilation

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

• 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

see item 8: Personal protective equipment

Information about fire - and explosion protection:

Traces of flammable substances may collect in the steam chamber of enclosed systems. Keep clear ofignition sources.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium, copper

Suitable material for receptacles and pipes: Stainless steel.

Provide solvent resistant, sealed floor.

Prevent any seepage into the ground.

· Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 3)

Printing date 15.09.2022 Version 3 (replaces version 2) Revision: 15.09.2022

Trade name: OTTO Cleaner MP

(Contd. of page 2)

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 2-Methoxy-methylethoxy-propanol

WEL Long-term value: 308 mg/m³, 50 ppm

Sk

· DNELs

Dermal Worker, systemic (long term) 65 mg/kg/Tag
Inhalative Worker, systemic (acute) 310 mg/m3
Worker, local (acute) 15 mg/m3
Worker, systemic (long term) 37.2 mg/m3
Worker, local (long term) 1.67 mg/m3

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Filter A/P2.
- · Hand protection Protective gloves.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Fluorocarbon rubber (Viton)

Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- · Eye/face protection Tightly sealed goggles.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Melting point/freezing point:
Fluid
Colourless
Ether-like
83 °C

· Boiling point or initial boiling point and

boiling range 184 °C

· Lower and upper explosion limit

Lower: not applicable not applicable

• Flash point: 75 °C (ASTM D 3828)

· Ignition temperature: 205 °C

Decomposition temperature:
 pH
 Viscosity:
 Not determined.
 Not determined.
 Not determined.

(Contd. on page 4)

Printing date 15.09.2022 Version 3 (replaces version 2) Revision: 15.09.2022

Trade name: OTTO Cleaner MP

(Contd. of page 3)

Solubility

· Water: Soluble

Partition coefficient n-octanol/water (log

value) Not determined.

• Vapour pressure at 20 °C: 0.4 hPa

Density and/or relative density

Density at 20 °C: 0.95 g/cm³
 Vapour density Not determined.

· 9.2 Other information

· Form: Fluid

· Auto-ignition temperature: Not determined.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Information with regard to physical hazard

classes

· Aerosols Void · Flammable liquids Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Avoid strong heating.

· 10.3 Possibility of hazardous reactions

Forms peroxides

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised

- 10.5 Incompatible materials: Strong oxidizing agents, alkalis, amines, strong acides
- 10.6 Hazardous decomposition products:

Carbon monoxide

Poisonous gases/vapours

see item 5.2

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

Oral LD50 5,140 mg/kg (rat)

Dermal LD50 9,510 mg/kg (rab)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eve damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:

Inhalative Acute toxicity estimate (ATE mix) mg/l/4h

(Contd. on page 5)

Printing date 15.09.2022 Version 3 (replaces version 2) Revision: 15.09.2022

Trade name: OTTO Cleaner MP

(Contd. of page 4)

- · 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation Liquid residues must be specially treated adhering to official regulations.
- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

14.5 Environmental hazards: Not applicable.
 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

• Transport/Additional information: Not dangerous according to the above

specifications.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.

(Contd. on page 6)

Printing date 15.09.2022 Version 3 (replaces version 2) Revision: 15.09.2022

Trade name: OTTO Cleaner MP

(Contd. of page 5)

· National regulations

· Waterhazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.

· Details of international registration status:

Listed on or in accordance with the following inventories:

NZIOC - New Zealand listed
AICS - Australia listed
DSL- Canada listed
IECSC - China listed
ENCS - Japan listed
ECL - Korea listed
PICCS - Philippines listed
UK REACH - Europe listed

TCSI - Taiwan listed
TSCA - USA listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Tel.: 0049- (0)8684- 908- 2363
- Contact: Tel.: 0049- (0)8684- 908- 2363 (-4300)
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

- GE