

OTTO Smoothing agent spray

SPECIAL

The smoothing agent spray



Aqueous solution of surface-active substances

GLS

Characteristics

- ▶ Optimally tailored to hybrid sealants
- ▶ Immediately ready for use
- ▶ Refillable
- ▶ Kind to the skin
- ▶ Does not dry out the skin
- ▶ Dermatologically tested ingredients
- ▶ Colouring pigments of the sealant are not washed off
- ▶ Not suitable for marble and other natural stones

Fields of application

- ▶ Smoothing of OTTO sealants (hybrid, PU, silicone sealants)
- ▶ Optimally tailored to hybrid sealants

Technical properties

Storage temperature from/to 0 / + 25
[°C]

Shelf life at 23 °C/50 % RH 12 ¹
[months]

1) Frost-free storage



Application information

Shake well before use.

Apply OTTO smoothing agent spray to the sealant surface as economically as possible and in a targeted manner and only slightly wet the smoothing agent with the OTTO smoothing agent spray

Smoothing agent must not remain on the sealant joint and on adjacent surfaces, because dried residual sealant might cause optical impairments (dull/light spots).

Residual smoothing agent must be removed using clear water before it dries.

Please check compatibility to adjacent surfaces, e.g. coated wood, before use by making preliminary tests.

Take suitable measures to protect sensitive adjacent surfaces and carrier materials when working.

For applications in combination with marble and other natural stones we recommend OTTO Marble Silicone Smoothing Agent GLM.

Due to the many possible influences during and after application, the customer always has to carry out trials first.

Please observe the recommended shelf life which is printed on the packaging.

Packaging

500 ml plastic spray bottle

<input type="radio"/> colourless	GLS-84
Pieces per packaging unit	12
Pieces per pallet	468

Other packagings on request.

Hermann Otto GmbH

Krankenhausstr. 14 | 83413 Fridolfing, Germany
☎ +49 8684 908-0 | @ info@otto-chemie.de
www.otto-chemie.com

💡 Application advice

☎ +49 8684 908-4300
@ tae@otto-chemie.de



SEALING & BONDING

Safety precautions

Please observe the material safety data sheet.

Disposal

Information about disposal: Please refer to the material safety data sheet.

Warranty information

The above information and our technical application advice, whether verbal, in writing or by means of tests, are provided to the best of our knowledge, but are non-binding, including with regard to any third-party property rights. The information in this publication does not exempt the processor from carrying out their own tests on our products with regard to their suitability for the intended processes and purposes. The application, use and processing of our products and the products manufactured on the basis of our technical application advice are beyond our control and are therefore the sole responsibility of the processor. If the application for which our products are used is subject to an official authorisation requirement, the user is responsible for obtaining these authorisations. We reserve the right to adapt the product to technical progress and new developments. For the rest, we refer to our General Terms and Conditions, in particular with regard to any liability for defects. You can find our GTC at www.otto-chemie.de.