Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.04.2025

Version 6 (replaces version 5)

Revision: 09.04.2025

SECTION undertakin	l: Identification o a	f the substa	nce/mixture	e and of the	e company/
· 1.1 Product i	<u> </u>				
Trade name: 1.2 Relevant Application	OTTOSEAL A 205 identified uses of the of the substance / the I against Observe the	e <mark>mixture</mark> Acryli	ic sealant		l against
• Manufacture Hermann Otto Krankenhaus D-83413 Frido Tel.: 0049/(0)	o GmbH straße 14 olfing	safety data she	et		
Tel.: 0049- (0 E-Mail: msds(1.4 Emergen +44 1865 407	mation obtainable fro 18684- 908- 2363 (-43 Dotto-chemie.de cy telephone numbe 1333 (Carechem 24) 189- 192 40 (emergen	300) r:	p.)		
SECTION	2: Hazards identif	rication			
· 2 1 Classific					
· Classificatio	ntion of the substance of according to Regul is not classified, accord	e or mixture lation (EC) No			
 Classification The product is 2.2 Label ele 	ntion of the substance n according to Regul not classified, accord ments cording to Regulation grams Void	e or mixture lation (EC) No ling to the CLP	regulation.		
 Classificatio The product is 2.2 Label ele Labelling acc Hazard picto Signal word Hazard state 	ntion of the substand in according to Regul is not classified, accord ments cording to Regulation grams Void Void ments Void	e or mixture lation (EC) No ling to the CLP	regulation.		
 Classificatio The product is 2.2 Label ele Labelling acc Hazard picto Signal word Hazard state Additional in EUH208 Com and EUH210 Safe 	ntion of the substance of according to Regul s not classified, accord ments cording to Regulation grams Void Void ments Void formation: ains 1,2-benzisothiazo 2-methyl-2H-isothiazo ty data sheet available	e or mixture lation (EC) No ling to the CLP n (EC) No 1272 ol-3(2H)-one, mi l-3-one. May pro	regulation. / 2008 Void ixture of: 5-chlo		4-isothiazolin-3-one
 Classificatio The product is 2.2 Label ele Labelling act Hazard picto Signal word Hazard state Additional in EUH208 Cont and EUH210 Safe 2.3 Other haz Results of Pl PBT: Not app 	ation of the substance of according to Regul s not classified, accord ments cording to Regulation grams Void Void ments Void formation: ains 1,2-benzisothiazo to data sheet available cards BT and vPvB assess licable.	e or mixture lation (EC) No ling to the CLP n (EC) No 1272 ol-3(2H)-one, mi l-3-one. May pro e on request.	regulation. / 2008 Void ixture of: 5-chlo		4-isothiazolin-3-one
 Classificatio The product is 2.2 Label ele Labelling act Hazard picto Signal word Hazard state Additional in EUH208 Com and EUH210 Safe 2.3 Other haz Results of Pl PBT: Not app vPvB: Not ap Determinatio This product of Article 57(f) o 	ation of the substance of according to Regul s not classified, accord ments cording to Regulation grams Void Void ments Void formation: ains 1,2-benzisothiazo to data sheet available cards BT and vPvB assess licable.	e or mixture lation (EC) No ding to the CLP ding to the CLP on (EC) No 1272 on (EC) No 1272 on request. ment on request. ment onents that are red Regulation (i	regulation. / 2008 Void ixture of: 5-chlo oduce an allerg endocrine disr EU) 2017/2100	gic reaction. ruptors accord	ling to REACH
 Classificatio The product is 2.2 Label ele Labelling act Hazard picto Signal word Hazard state Additional in EUH208 Com and EUH210 Safe 2.3 Other haz Results of Pl PBT: Not app vPvB: Not ap Determinatio This product of Article 57(f) o 	ation of the substance of according to Regulation of classified, accord ments cording to Regulation grams Void Void Ments Void formation: ains 1,2-benzisothiazo formation: ains 1,2-benzisothiazo ty data sheet available cards BT and vPvB assess ards BT and vPvB assess blicable. blicable. blicable. olicable. olicable. commission Delegat	e or mixture lation (EC) No ding to the CLP ding to the CLP on (EC) No 1272 on (EC) No 1272 on request. ment on request. ment onents that are red Regulation (i	regulation. / 2008 Void ixture of: 5-chlo oduce an allerg endocrine disr EU) 2017/2100	gic reaction. ruptors accord	ling to REACH
 Classificatio. The product is 2.2 Label ele Labelling act Hazard picto Signal word Hazard state Additional in EUH208 Com and EUH210 Safe 2.3 Other has Results of Ple PBT: Not app vPvB: Not ap Determination This product of Article 57(f) of Regulation (E 	ation of the substance of according to Regulation of classified, accord ments cording to Regulation grams Void Void Ments Void formation: ains 1,2-benzisothiazo formation: ains 1,2-benzisothiazo ty data sheet available cards BT and vPvB assess ards BT and vPvB assess blicable. blicable. blicable. olicable. olicable. commission Delegat	e or mixture lation (EC) No ling to the CLP of (EC) No 1272 (1-3-one. May pro e on request. ment pting propertie onents that are red Regulation (in ties of 0.1% or n	regulation. / 2008 Void ixture of: 5-chlo oduce an allerg endocrine disr EU) 2017/2100 nore.	gic reaction. Suptors accord O or Commiss	ling to REACH
 Classificatio. The product is 2.2 Label ele Labelling act Hazard picto Signal word Hazard state Additional in EUH208 Com and EUH210 Safe 2.3 Other has Results of Ple PBT: Not app vPvB: Not ap Determination This product of Article 57(f) of Regulation (E 	ation of the substance in according to Regul is not classified, accord ments cording to Regulation grams Void Void ments Void formation: ains 1,2-benzisothiazo formation: ains	e or mixture lation (EC) No ling to the CLP of (EC) No 1272 (1-3-one. May pro e on request. ment pting propertie onents that are red Regulation (in ties of 0.1% or n	regulation. / 2008 Void ixture of: 5-chlo oduce an allerg endocrine disr EU) 2017/2100 nore.	gic reaction. Suptors accord O or Commiss	ling to REACH
 Classificatio The product is 2.2 Label ele Labelling acd Hazard picto Signal word Hazard state Additional in EUH208 Cons and EUH210 Safe 2.3 Other has Results of PI PBT: Not app Determinatio This product of Article 57(f) o Regulation (E SECTION S 3.2 Mixtures Description: 	ation of the substand according to Regul a not classified, accord ments cording to Regulation grams Void Void ments Void formation: ains 1,2-benzisothiazo formation: ains 1,2-benzisothiazo ty data sheet available cards BT and vPvB assess licable. blicable. blicable. n of endocrine-disru loes not contain comp Commission Delegat U) 2018/605 in quantit	e or mixture lation (EC) No ling to the CLP (In (EC) No 1272 (In (EC) No 1272 (In (EC) No 1272 (In (In (In (In (In (In (In (In (In (In	regulation. / 2008 Void ixture of: 5-chlo oduce an allerg endocrine disr EU) 2017/2100 nore.	gic reaction. Suptors accord O or Commiss	ling to REACH
 Classificatio The product is 2.2 Label ele Labelling acd Hazard picto Signal word Hazard state Additional in EUH208 Cons and EUH210 Safe 2.3 Other has Results of PI PBT: Not app Determinatio This product of Article 57(f) o Regulation (E SECTION S 3.2 Mixtures Description: Acrylic-acid c 	ation of the substance of according to Regul is not classified, accord ments cording to Regulation grams Void Void ments Void formation: ains 1,2-benzisothiazo formation: ains	e or mixture lation (EC) No ling to the CLP (In (EC) No 1272 (In (EC) No 1272 (In (EC) No 1272 (In (EC) No 1272 (In (In (In (In (In (In (In (In (In (In	regulation. / 2008 Void ixture of: 5-chlo oduce an allerg endocrine disr EU) 2017/2100 nore.	gic reaction. ruptors accord) or Commissi ts	ling to REACH

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.04.2025

Version 6 (replaces version 5)

Revision: 09.04.2025

Trade name: OTTOSEAL A 205

Dangerous components:	(Contd. of page
2634-33-5 1,2-benzisothiazol-3(2H)-one	<0.05%
 2007 00 0 1,2 Denziournazo (211) one 	
Specific concentration limit: Skin Sens. 1A; H317: $C \ge 0.036$ %	
55965-84-9 mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H- isothiazol-3-one	<0.0015
 Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317; C ≥ 0.0015 % 	
Additional information	
For the wording of the listed hazard phrases refer to section 16. Particulate raw materials with risk of inhalation are inextricably bound in the product a does not trigger classification of the product for inhalation hazards. Due to the produc properties, particulate inhalation exposure is not possible.	
Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; call for medical help immediately. Show container or label. 4.2 Most important symptoms and effects, both acute and delayed	
No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed	J
No further relevant information available.	
SECTION 5: Firefighting measures	
 5.1 Extinguishing media Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant for 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. 	am.
SECTION 6: Accidental release measures	
6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation	

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

(Contd. on page 3)

- EU-gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.04.2025

Version 6 (replaces version 5)

Revision: 09.04.2025

Trade name: OTTOSEAL A 205

(Contd. of page 2) • 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs. • Further information about storage conditions:
- Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Hand protection Protective gloves.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- Eye/face protection Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties General Information · Physical state Liquid · Colour: According to product specification · Odour: Characteristic • Melting point/freezing point: undetermined · Boiling point or initial boiling point and boiling range Not applicable. · Lower and upper explosion limit · Lower: not applicable · Upper: not applicable · Flash point: Not applicable (test methods for flash point not valid for pasty substances and highly viscous liquids) · Decomposition temperature: Not determined. (Contd. on page 4) EU-ab

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.04.2025

Version 6 (replaces version 5)

Revision: 09.04.2025

Trade name: OTTOSEAL A 205

- 11	(Contd. of page 3)
pH	Not applicable.
Viscosity:	Not determined.
Solubility	
Water:	Dispersible
Partition coefficient n-octanol/wa	ater (log
value)	Not determined.
Vapour pressure:	Not applicable.
Density and/or relative density	
Density:	see technical data sheet
Relative density	Not determined.
Vapour density	Not applicable.
Relative gas density	undetermined
Particle characteristics	undetermined
9.2 Other information	
Form:	pasty
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Information with regard to physic	cal hazard
classes	
Aerosols	Void
Flammable liquids	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.

· 10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

see item 5.2

No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 5)

- FU-ab

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.04.2025

Version 6 (replaces version 5)

Revision: 09.04.2025

Trade name: OTTOSEAL A 205

(Contd. of page 4)

SECTION 12: Ecological information

- · 12.1 Toxicity No further relevant information available
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

This product does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation
- Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 14.3 Transport hazard class(es) 	Void Void	
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: 	Void	
 Marine pollutant: 14.6 Special precautions for user 	No Not applicable.	
 14.7 Maritime transport in bulk according to IMO instruments 	o Not applicable.	
• Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	— EU-gb —

(Contd. on page 6)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.04.2025

Version 6 (replaces version 5)

Revision: 09.04.2025

(Contd. of page 5)

Trade name: OTTOSEAL A 205

• •	h and environmental regulations/legislation specific for the substance or
mixture	65/EU on the restriction of the use of certain hazardous substances in
	ctronic equipment – Annex II
None of the ingredi	• •
REGULATION (EL	
	CTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of
licensing under A	
None of the ingredi	
	TABLE EXPLOSIVES PRECURSORS
None of the ingredi	ients is listed.
•	lo 273/2004 on drug precursors
None of the ingredi	
	lo 111/2005 laying down rules for the monitoring of trade between the
	hird countries in drug precursors
None of the ingredi	ients is listed.
National regulatio	ons
Waterhazard class	s: Water hazard class 1 (Self-assessment): slightly hazardous for water.
	tional registration status:
	cordance with the following inventories:
	listed
AICS - Australia	listed
DSL- Canada list	
IECSC - China	listed not listed
ENCS - Japan NZIoC - New Zeala	
PICCS - Philippine:	
ECL - Korea n	
rui-noiea ii	
TSCA - USA	listed

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

[.] Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Version number of previous version: 5

(Contd. on page 7)

EU-gb

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.04.2025

Version 6 (replaces version 5)

Revision: 09.04.2025

Trade name: OTTOSEAL A 205

	(Contd. of page 6)
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agre	ement Concernina
the International Carriage of Dangerous Goods by Road)	5
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent. Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 2: Acute toxicity – Category 2	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Cont. 10. Skin corrosion/irritation – Category 10 Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
	EU-gb