Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.08.2026 Version 6 Revision: 10.08.2026

*

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· **1.1 Product identifier**

· **Trade name: OTTOSEAL P300**
· **UFI:** 1220-A0AK-J000-Q982
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
· **Application of the substance / the mixture** Preparation of adhesives
· **Uses advised against** Observe the information in the technical data sheet

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Hermann Otto GmbH
Krankenhausstraße 14
D-83413 Fridolfing
Tel.: 0049/(0)8684/908-0
Fax.: 0049/(0)8684/908-1840

· **Further information obtainable from:**
Tel.: 0049- (0)8684- 908- 2363 (-4300)
E-Mail: msds@otto-chemie.de
· **1.4 Emergency telephone number:**
Tel.: 0049- (0) 89- 192 40 (emergency telephone no.)
+44 1865 407333 (Carechem 24)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**
Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**
3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate
Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane
Hardener LI (Isophoronedialdimine)
Pentamethylpiperidylsebacate
· **Hazard statements**
H317 May cause an allergic skin reaction.
· **Precautionary statements**
P102 Keep out of reach of children.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves / eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P501 Dispose of contents/container in accordance with local regulations.
· **Additional information:**
EUH204 Contains isocyanates. May produce an allergic reaction.

(Contd. on page 2)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.08.2026 Version 6 Revision: 10.08.2026

Trade name: OTTOSEAL P300

(Contd. of page 1)

· **2.3 Other hazards**
Information according to REACH- Annex XVII.56
- Persons already sensitised to diisocyanates may develop allergic reactions when using this product.
- Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.
- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Determination of endocrine-disrupting properties**
This product does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

*
SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:**
Prepolymer, based on diphenylmethandiisocyanat with monomeric and polymeric contents
· **Dangerous components:**

CAS: 77703-56-1 Reg.nr.: 01-0000016345-72-XXXX	4,4'-METHYLENEBIS(1-BUTYL-3-PHENYLUREA) Aquatic Chronic 4, H413	<5%
CAS: 932742-30-8 Reg.nr.: 01-2119880654-28-xxxx	Hardener LI (Isophoronedialdimine) Skin Sens. 1B, H317; Aquatic Chronic 3, H412	<1%
CAS: 1065336-91-5 EC number: 915-687-0 Reg.nr.: 01-2119491304-40-xxxx	Pentamethylpiperidylsebacate Repr. 2, H361f; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	<1%
CAS: 192526-20-8 EC number: 924-669-1 Reg.nr.: 01-2120768758-32-0000	Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane Skin Sens. 1A, H317; Aquatic Chronic 4, H413	<0.1%
CAS: 4098-71-9 EINECS: 223-861-6 Index number: 615-008-00-5	3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate Acute Tox. 1, H330; Resp. Sens. 1, H334; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Sens. 1A, H317, EUH071, EUH204 Specific concentration limits: Resp. Sens. 1; H334: C ≥ 0.5 % Skin Sens. 1; H317: C ≥ 0.5 %	<0.1%

· **Additional information**
Particulate raw materials with risk of inhalation are inextricably bound in the product and therefore does not trigger classification of the product for inhalation hazards. Due to the product's physical properties, particulate inhalation exposure is not possible.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.08.2026 Version 6 Revision: 10.08.2026

Trade name: OTTOSEAL P300

(Contd. of page 2)

· **After inhalation**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
· **After skin contact**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
· **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing** Do not induce vomiting; call for medical help immediately. Show container or label.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be necessary.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **For safety reasons unsuitable extinguishing agents** Water with full jet.
· **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
· **5.3 Advice for firefighters**
· **Protective equipment:**
Mount respiratory protective device.
Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
· **6.4 Reference to other sections** See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
see item 8: Personal protective equipment
· **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage**
· **Requirements to be met by storerooms and receptacles:**
No special requirements.
Prevent any seepage into the ground.
· **Information about storage in one common storage facility:** Store away from foodstuffs.
· **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.08.2026 Version 6 Revision: 10.08.2026

Trade name: OTTOSEAL P300

(Contd. of page 3)

Protect from heat and direct sunlight.
· **7.3 Specific end use(s)** No further relevant information available.

*
SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**
· **Ingredients with limit values that require monitoring at the workplace:**
· **Regulatory information**

4098-71-9 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate
BOELV Short-term value: 0.012 (0.020)* mg/m³
Long-term value: 0.006 (0.010)* mg/m³
as -NCO *until 31.12.2028
BOELV: EU 2024/869
· **DNELs**

192526-20-8 Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane

Dermal	Worker, systemic (long term)	4.7 mg/kg/Tag
Inhalative	Worker, systemic (long term)	1.7 mg/m3
	Consumer, systemic (long term)	0.3 nmg/m3

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures**
The usual precautionary measures are to be adhered to when handling chemicals.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
· **Respiratory protection:**
This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.
· **Hand protection** Protective gloves.
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Recommended glove types: nitrile rubber
Recommended thickness of the material: >0,4 mm
· **Penetration time of glove material** Breakthrough time: 10 - 30 min
· **Eye/face protection** Safety glasses
· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**
· **General Information**

· **Physical state**	Liquid
· **Colour:**	According to product specification
· **Odour:**	Characteristic
· **Melting point/freezing point:**	undetermined
· **Boiling point or initial boiling point and boiling range**	Not applicable.

(Contd. on page 5)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Trade name: OTTOSEAL P300

(Contd. of page 4)

· **Lower and upper explosion limit**	
· **Lower:**	not applicable
· **Upper:**	not applicable
· **Flash point:**	>101 °C
· **Decomposition temperature:**	Not determined
· **pH**	Not applicable
· **Viscosity:**	Not determined
· **Solubility**	
· **Water:**	Hydrolized
· **Partition coefficient n-octanol/water (log value)**	Not determined
· **Vapour pressure:**	Not determined
· **Density and/or relative density**	
· **Density:**	see technical data sheet
· **Relative density**	Not determined
· **Vapour density**	Not determined
· **Particle characteristics**	undetermined
· **9.2 Other information**	
· **Form:**	pasty
· **Explosive properties:**	Not determined
· **Information with regard to physical hazard classes**	
· **Aerosols**	Void
· **Flammable liquids**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
Avoid strong heating.
· **10.3 Possibility of hazardous reactions**
Reacts with alcohols
Reacts with amines
Exothermic reaction
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:**
If isocyanate gets in contact with humidity, carbon dioxide is released. The carbon dioxide causes an overpressure in closed containers.
· **10.6 Hazardous decomposition products:**
Possible in traces.
No decomposition when used as intended.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Based on available data, the classification criteria are not met.
· **LD/LC50 values relevant for classification:**

77703-56-1 4,4'-METHYLENEBIS(1-BUTYL-3-PHENYLUREA)
Oral LD50 >2,000 mg/kg (rat)

(Contd. on page 6)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.08.2026 Version 6 Revision: 10.08.2026

Trade name: OTTOSEAL P300

(Contd. of page 5)

932742-30-8 Hardener LI (Isophoronedialdimine)

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rab)

1065336-91-5 Pentamethylpiperidylsebacate

Oral LD50 3,230 mg/kg (rat)

192526-20-8 Reaction product of Hexamethylene diisocyanate, oligomers with Mercaptopropyltrimethoxysilane

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

· ***Primary irritant effect:***
· ***Skin corrosion/irritation*** Based on available data, the classification criteria are not met.
· ***Serious eye damage/irritation*** Based on available data, the classification criteria are not met.
· ***Respiratory or skin sensitisation***
Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product.
May cause an allergic skin reaction.
· ***Germ cell mutagenicity*** Based on available data, the classification criteria are not met.
· ***Carcinogenicity*** Based on available data, the classification criteria are not met.
· ***Reproductive toxicity*** Based on available data, the classification criteria are not met.
· ***STOT-single exposure*** Based on available data, the classification criteria are not met.
· ***STOT-repeated exposure*** Based on available data, the classification criteria are not met.
· ***Aspiration hazard*** Based on available data, the classification criteria are not met.
· ***Additional toxicological information:***

4098-71-9 3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate

Inhalative Acute toxicity estimate (ATE mix) 0.03 mg/l/4h (rat)

· ***11.2 Information on other hazards***
· ***Endocrine disrupting properties***

None of the ingredients is listed.

SECTION 12: Ecological information

· ***12.1 Toxicity*** No further relevant information available
· ***12.2 Persistence and degradability*** No further relevant information available.
· ***Other information:*** Product is not biodegradable.
· ***12.3 Bioaccumulative potential*** No further relevant information available.
· ***12.4 Mobility in soil*** No further relevant information available.
· ***12.5 Results of PBT and vPvB assessment***
· ***PBT:*** Not applicable
· ***vPvB:*** Not applicable
· ***12.6 Endocrine disrupting properties***
This product does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.
· ***12.7 Other adverse effects***
· ***Additional ecological information:***
· ***General notes:***
Do not allow product to reach ground water, water course or sewage system.
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

(Contd. on page 7)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.08.2026 Version 6 Revision: 10.08.2026

Trade name: OTTOSEAL P300

(Contd. of page 6)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Observe local by-laws.
Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

· **Uncleaned packaging:**
· **Recommendation:**
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· **14.1 UN number or ID number**
· **ADR, IMDG, IATA** Void
· **14.2 UN proper shipping name**
· **ADR, IMDG, IATA** Void
· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**
· **Class** Void
· **14.4 Packing group**
· **ADR, IMDG, IATA** Void
· **14.5 Environmental hazards:** Not applicable
· **14.6 Special precautions for user** Not applicable
· **14.7 Maritime transport in bulk according to IMO instruments** Not applicable

· **Transport/Additional information:** Not dangerous according to the above specifications.
· **UN "Model Regulation":** Void

*
SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.
· **REGULATION (EC) No 1907/2006 ANNEX XVII**
No. 56 for general public
No. 74 for commercial/industrial users
Conditions of restriction: 3, 75,52
· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
None of the ingredients is listed.
· **REGULATION (EU) 2019/1148**
· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
None of the ingredients is listed.
· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**
None of the ingredients is listed.

(Contd. on page 8)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.08.2026 Version 6 Revision: 10.08.2026

Trade name: OTTOSEAL P300

(Contd. of page 7)

· **Regulation (EC) No 273/2004 on drug precursors**
None of the ingredients is listed.
· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
None of the ingredients is listed.

· **National regulations**

· **Information about limitation of use:**
Employment restrictions concerning juveniles must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.

· **Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
· **Other regulations, limitations and prohibitive regulations**
Contains (1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich)
REACH Annex XVII Entry 52 must be observed
· **Details of international registration status:**
Listed on or in accordance with the following inventories:

REACH - Europe	listed
AICS - Australia	not listed
ENCS - Japan	not listed
NZIoC - New Zealand	listed
PICCS - Philippines	not listed
ECL - Korea	not listed
TSCA - USA	listed
TCSI - Taiwan	not listed
DSL - Canada	not listed
IECSC - China	not listed

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH071	Corrosive to the respiratory tract.
EUH204	Contains isocyanates. May produce an allergic reaction.

· **Date of previous version:** 10.08.2026
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

(Contd. on page 9)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.08.2026 *Version 6* *Revision: 10.08.2026*

Trade name: OTTOSEAL P300

(Contd. of page 8)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 1: Acute toxicity – Category 1
Skin Corr. 1: Skin corrosion/irritation – Category 1
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Resp. Sens. 1: Respiratory sensitisation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 2: Reproductive toxicity – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

· **** Data compared to the previous version altered.***