
Printing date 03.04.2025

Revision: 03.04.2025



Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version 5 (replaces version 4)

Revision: 03.04.2025

Trade name: OTTOSEAL P 305

(Contd. of page 1) - Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

- This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.

· Results of PBT and vPvB assessment

• PBT: Not applicable.

• **vPvB:** Not applicable.

· Determination of endocrine-disrupting properties

This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Prepolymer, based on diphenylmethandiisocyanat with monomeric and polymeric contents **Dangerous components:**

nic 4, H413 (Isophoronedialdimine) 0-<1%
(Isonhoronedialdimine) 0-<1%
(Isonhoronedialdimine) 0-<1%
. 1B, H317; Aquatic Chronic 3, H412

 CAS: 1065336-91-5
 Pentamethylpiperidylsebacate
 <1%</th>

 EC number: 915-687-0
 The second secon

· Additional information

For the wording of the listed hazard phrases refer to section 16. Particulate raw materials with risk of inhalation are inextricably bound in the product and therefore does not trigger classification of the product for inhalation hazards. Due to the product's physical properties, particulate inhalation exposure is not possible.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at

least 48 hours after the accident.

· After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

• **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions • **4.3 Indication of any immediate medical attention and special treatment needed**

The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be

(Contd. on page 3)

Printing date 03.04.2025

Version 5 (replaces version 4)

Revision: 03.04.2025

Trade name: OTTOSEAL P 305

necessary.

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- Protective equipment:

Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to section 13.
- · 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs.
- *Further information about storage conditions:* Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
 General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.

(Contd. on page 4)

gb

Printing date 03.04.2025

Version 5 (replaces version 4)

Revision: 03.04.2025

(Contd. of page 3)

Trade name: OTTOSEAL P 305

- · Hand protection Protective gloves.
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- · Eye/face protection Safety glasses
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and ch General Information 	emical properties
· Physical state	Liquid
· Colour:	According to product specification
· Odour:	Characteristic
• Melting point/freezing point:	undetermined
· Boiling point or initial boiling point and	undetermined
boiling range	undetermined
· Lower and upper explosion limit	undetermined
· Lower:	not applicable
· Upper:	not applicable
· Flash point:	Not applicable (test methods for flash point not valid
	for pasty substances and highly viscous liquids)
· Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	Not determined.
· Solubility	Not determined.
· Water:	Hydrolized
· Partition coefficient n-octanol/water (log	Trydronzed
value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	Not determined.
· Density:	see technical data sheet
· Relative density	Not determined.
· Vapour density	Not applicable.
· Particle characteristics	undetermined
• 9.2 Other information	,
Form:	pasty
Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
Information with regard to physical haza	rd
classes	
Aerosols	Void
· Flammable liquids	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Avoid strong heating.

• **10.3 Possibility of hazardous reactions** Reacts with alcohols

(Contd. on page 5)

gb

Safety data sheet

according to UK REACH

Printing date 03.04.2025

Version 5 (replaces version 4)

Revision: 03.04.2025

(Contd. of page 4)

Trade name: OTTOSEAL P 305

Reacts with amines Exothermic reaction

10 A Conditions to avoid No further relevant

• **10.4 Conditions to avoid** No further relevant information available. • **10.5 Incompatible materials:**

If isocyanate gets in contact with humidity, carbon dioxide is released. The carbon dioxide causes an overpressure in closed containers.

10.6 Hazardous decomposition products: see item 5.2

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
 - LD/LC50 values relevant for classification:

77703-56-1 4,4'-METHYLENEBIS(1-BUTYL-3-PHENYLUREA)

Oral LD50 >2,000 mg/kg (rat)

932742-30-8 Hardener LI (Isophoronedialdimine)

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rab)

1065336-91-5 Pentamethylpiperidylsebacate

- Oral LD50 3,230 mg/kg (rat)
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation
- Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity** No further relevant information available
- · 12.2 Persistence and degradability No further relevant information available.
- · Other information: Product is not biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 6)

Printing date 03.04.2025

Version 5 (replaces version 4)

Revision: 03.04.2025

(Contd. of page 5)

Trade name: OTTOSEAL P 305

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Observe local by-laws. Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

· Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 14.3 Transport hazard class(es) 	Void Void
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
 14.5 Environmental hazards: 	
· Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according 	to
IMO instruments	Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- **Regulated explosives precursors** None of the ingredients is listed.
- Regulated poisons
- None of the ingredients is listed.
- **Reportable explosives precursors** None of the ingredients is listed.
- · Reportable poisons
- None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** No. 56 for general public No. 74 for commercial/industrial users Conditions of restriction: 3

(Contd. on page 7)

[,] gb

Printing date 03.04.2025

Version 5 (replaces version 4)

Revision: 03.04.2025

Trade name: OTTOSEAL P 305

	(Contd. of p 1/65/EU on the restriction of the use of certain hazardous substances in electronic equipment – Annex II
None of the ingr	
REGULATION (
licensing under	RICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose o
•	
None of the ingr	edients is listed. ORTABLE EXPLOSIVES PRECURSORS
-	
None of the ingr	
	() No 273/2004 on drug precursors
None of the ingr	
) No 111/2005 laying down rules for the monitoring of trade between the
•	d third countries in drug precursors
None of the ingr	edients is listed.
National regula	tions
Information abo	out limitation of use:
	trictions concerning juveniles must be observed.
Employment res	trictions concerning pregnant and lactating women must be observed.
	less Water becard along 2 (Calf accession with becarding for water
Waterhazard cl	ass' water nazaro class z uselt-assessment)' nazaroous tor water
	ass: Water hazard class 2 (Self-assessment): hazardous for water.
Other regulatio	ns, limitations and prohibitive regulations
Other regulatio Contains (1,2-Be	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich)
Other regulatio Contains (1,2-Be UK REACH Ann	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern	n s, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status:
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in	n s, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in DSL - Canada UK REACH - Eu	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed urope listed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in DSL - Canada UK REACH - Eu AICS - Australia IECSC - China	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed irope listed not listed not listed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in DSL - Canada UK REACH - Eu AICS - Australia IECSC - China	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed irope listed not listed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in DSL - Canada UK REACH - Eu AICS - Australia IECSC - China ENCS - Japan	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed irope listed not listed not listed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in DSL - Canada UK REACH - Eu AICS - Australia IECSC - China ENCS - Japan NZIOC - New Ze	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed irope listed not listed not listed not listed aland not listed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in DSL - Canada UK REACH - Eu AICS - Australia IECSC - China ENCS - Japan NZIOC - New Ze PICCS - Philippi	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed irope listed not listed not listed not listed aland not listed ines not listed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in DSL - Canada UK REACH - Eu AICS - Australia IECSC - China ENCS - Japan NZIOC - New Ze PICCS - Philippi ECL - Korea TSCA - USA	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed irope listed not listed not listed not listed aland not listed ines not listed
Other regulatio Contains (1,2-Be UK REACH Ann Details of intern Listed on or in DSL - Canada UK REACH - Eu AICS - Australia IECSC - China ENCS - Japan NZIOC - New Ze PICCS - Philippi ECL - Korea TSCA - USA TCSI - Taiwan	ns, limitations and prohibitive regulations enzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich) ex XVII Entry 52 must be observed national registration status: accordance with the following inventories: not listed prope listed not listed not listed ealand not listed paland not listed not listed not listed not listed

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

[.] Relevant phrases

H317 May cause an allergic skin reaction.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- Date of previous version: 03.04.2025
- · Version number of previous version: 4
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

(Contd. on page 8)

gb

Printing date 03.04.2025

Version 5 (replaces version 4)

Revision: 03.04.2025

Trade name: OTTOSEAL P 305

	(Contd. of page 7)
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	(conta: of page 7)
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Skin Sens. 1B: Skin sensitisation – Category 1B	
Repr. 2: Reproductive toxicity – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
* * Data compared to the previous version altered.	