
according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.07.2025

Version 6 (replaces version 5)

Revision: 17.07.2025



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.07.2025

Version 6 (replaces version 5)

Revision: 17.07.2025

(Contd. on page 3)

EU-gb

Trade name: OTTOCOLL P 340 Rapid

H373 Mav cause da	(Contd. of amage to organs through prolonged or repeated exposure.	paę
Precautionary stat		
	Keep out of reach of children.	
	Use only outdoors or in a well-ventilated area.	
	Wear protective gloves / eye protection.	
	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.	
	IF ON SKIN: Wash with plenty of soap and water.	
	IF IN EYES: Rinse cautiously with water for several minutes. Remove conta	act
	lenses, if present and easy to do. Continue rinsing. Get medical advice/atte	
Additional informa		
	isocyanates. May produce an allergic reaction.	
	2023 adequate training is required before industrial or professional use.	
2.3 Other hazards		
	ing to REACH- Annex XVII.56	
	sensitised to diisocyanates may develop allergic reactions when using this	
	sensitised to disocyanales may develop allergic reactions when using this	
product.	from optime, commo or alvin problems abould avoid contact including dar	
	from asthma, eczema or skin problems should avoid contact, including der	///c
contact, with this pro		L -
	Ild not be used under conditions of poor ventilation unless a protective mask	κV
	filter (i.e.type A1 according to standard EN 14387) is used.	
	nd vPvB assessment	
PBT: Not applicable		
vPvB: Not applicabl		
	endocrine-disrupting properties	
	not contain components that are endocrine disruptors according to REACH	
	nmission Delegated Regulation (EU) 2017/2100 or Commission Delegated	
Regulation (EU) 201	18/605 in quantities of 0.1% or more.	
SECTION 3: Co	mposition/information on ingredients	
SECTION 3: Co	omposition/information on ingredients	
	omposition/information on ingredients	
3.2 Mixtures	omposition/information on ingredients	
3.2 Mixtures Description:	omposition/information on ingredients	
3.2 Mixtures Description: Mixture consisting o		
3.2 Mixtures Description: Mixture consisting o Prepolymer, based	of the following components. On diphenylmethandiisocyanat with monomeric and polymeric contents	
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents:	<2
• 3.2 Mixtures • Description: Mixture consisting o Prepolymer, based of	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents: MDI-basiertes Polyisocyanat-Prepolymer	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents: her MDI-basiertes Polyisocyanat-Prepolymer & Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents: her MDI-basiertes Polyisocyanat-Prepolymer & Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319;	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents: MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues	
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319;	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9	of the following components. on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319;	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: her MDI-basiertes Polyisocyanat-Prepolymer	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: her MDI-basiertes Polyisocyanat-Prepolymer	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme CAS: 101-68-8 EINECS: 202-966-0	of the following components. 'on diphenylmethandiisocyanat with monomeric and polymeric contents onents: mer MDI-basiertes Polyisocyanat-Prepolymer	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-0	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: Ther MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C \geq 5% Skin Irrit. 2; H315: C \geq 5% Resp. Sens. 1; H334; C \geq 0.1 % STOT SE 3; H335: C \geq 5% diphenylmethane-4,4'-di-isocyanante 0 0 0 0 0 0 0 0 0 0 0 0 0	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-0	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: Ther MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C \geq 5% Skin Irrit. 2; H315: C \geq 5% Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Of the polymethane-4,4'-di-isocyanante Acute Tox. 4, H332; Skin Irrit. 2, H315; C \geq 5% diphenylmethane-4,4'-di-isocyanante Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; OU5-00-9 Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; Eye Irrit. 2, H319; STOT SE 3; H335; C \geq 5% Constants and the second	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-0	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: Ther MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Ner Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C \geq 5 % Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Concentration limits: Eye Irrit. 2; H315: C \geq 5 % Miphenylmethane-4,4'-di-isocyanante Miphenylmethane-4,4'-di-isocyanante Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Oute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Oute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; Eye Irrit. 2, H319; S7014-47-xxxx Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C \geq 5 %	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-0	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: Ther MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Ner Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; OU OU POUS-00-9 Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT 4-47-xxxx Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H315; C ≥ 5 % Skin Irrit. 2; H315; C ≥ 5 %	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-0	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: Ther MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Ner Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C \geq 5 % Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Concentration limits: Eye Irrit. 2; H315: C \geq 5 % Miphenylmethane-4,4'-di-isocyanante Miphenylmethane-4,4'-di-isocyanante Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Oute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Oute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H351; Eye Irrit. 2, H319; S7014-47-xxxx Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C \geq 5 %	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-0	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: Ther MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate,isomeres and homologues Ner Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; OU OU POUS-00-9 Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT 4-47-xxxx Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H315; C ≥ 5 % Skin Irrit. 2; H315; C ≥ 5 %	<2
3.2 Mixtures Description: Mixture consisting o Prepolymer, based o Dangerous compo Reg.nr.: EG: Polyme CAS: 9016-87-9 Reg.nr.: EG: Polyme CAS: 101-68-8 EINECS: 202-966-0 Index number: 615-0	of the following components. I on diphenylmethandiisocyanat with monomeric and polymeric contents onents: Ther MDI-basiertes Polyisocyanat-Prepolymer Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 diphenylmethanediisocyanate, isomeres and homologues Ner Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H315: $C \ge 5$ % Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; O O O O O O O O O O O D Acute Tox. 4, H332; Skin Irrit. 2, H315: $C \ge 5$ % Ciphenylmethane-4,4'-di-isocyanante O O O O Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Stin Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; O O O O O O O O D Acute Tox. 4, H332; Skin Irrit. 2, H315; C ≥ 5 % Ciphenylmethane-4,4'-di-isocyanante O O O O O D Acute Tox. 4, H332; Skin Irrit. 2, H315; C ≥ 5 % Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5$ % Skin Irrit. 2; H315: $C \ge 5$ %	<2

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.07.2025

Version 6 (replaces version 5)

Revision: 17.07.2025

Trade name: OTTOCOLL P 340 Rapid

		(Contd. of page 2)
CAS: 5873-54-1	diphenylmethane-2,4'-diisocyanate	<1%
EINECS: 227-534-9 Index number: 615-005-00-9 Reg.nr.: 01-2119480143-45-xxx	 Resp. Sens. 1, H334; Carc. 2, H351; STC Acute Tox. 4, H332; Skin Irrit. 2, H315; Ey x Skin Sens. 1, H317; STOT SE 3, H335, EUH 	/e Irrit. 2, H319; I204
	Specific concentration limits: Eye Irrit. 2; H31	
	Skin Irrit. 2; H31	15: C ≥ 5 %
	Resp. Sens. 1;	H334: C ≥ 0.1
	%	
	STOT SE 3; H3	35: C ≥ 5 %
· Additional information		
For the wording of the listed haz	ard phrases refer to section 16.	
	sk of inhalation are inextricably bound in the pro the product for inhalation hazards. Due to the	

properties, particulate inhalation exposure is not possible.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- After skin contact Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing
- Do not induce vomiting; call for medical help immediately. Show container or label.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be necessary.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- Protective equipment: Mount respiratory protective device. Do not inhale explosion gases or combustion gases.

(Contd. on page 4)

EU-ab

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.07.2025

Version 6 (replaces version 5)

Revision: 17.07.2025

Trade name: OTTOCOLL P 340 Rapid

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to section 13.
- **6.4 Reference to other sections** See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e.type A1 according to standard EN 14387) is used.
- · Hand protection Protective gloves.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- Eye/face protection Safety glasses

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- · Physical state

Liquid According to product specification

· Colour:

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.07.2025

Version 6 (replaces version 5)

Revision: 17.07.2025

Trade name: OTTOCOLL P 340 Rapid

	(Contd. of page 4)
· Odour:	Characteristic
 Melting point/freezing point: 	undetermined
Boiling point or initial boiling point and	
boiling range	undetermined
• Lower and upper explosion limit	
Lower:	not applicable
· Upper:	not applicable
Flash point:	Not applicable (test methods for flash point not valid
	for pasty substances and highly viscous liquids)
 Decomposition temperature: 	Not determined.
· pH	Not determined.
· Viscosity:	Not determined.
· Solubility	
· Water:	Hydrolized
· Partition coefficient n-octanol/water (log	
value)	Not determined.
· Vapour pressure:	Not determined.
 Density and/or relative density 	
[.] Density:	see technical data sheet
· Relative density	Not determined.
[.] Vapour density	Not applicable.
• Particle characteristics	undetermined
· 9.2 Other information	
· Form:	pasty
· Ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
Information with regard to physical hazar	d
classes	
Aerosols	Void
· Flammable liquids	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- **10.3 Possibility of hazardous reactions** Reacts with alcohols Reacts with amines Exothermic reaction
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:
 If isocyanate gets in contact with humidity, carbon dioxide is released. The carbon dioxide causes an overpressure in closed containers.
- 10.6 Hazardous decomposition products: see item 5.2

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Harmful if inhaled.
- LD/LC50 values relevant for classification:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Oral LD50 >10,000 mg/kg (rat)

(Contd. on page 6)

EU-gb

according to Regulation (EC) No 1907/2006, Article 31

e name: OTTOCOLL P 340 Rapid (Contd. of point Dermal LD50 >9,400 mg/kg (rabbit) nhalative LC50/4 h 0.49 mg/l (rat) 101-68-8 diphenylmethane-4,4'-di-isocyanante Doral LD50 >10,000 mg/kg (rat) Dermal LD50 >9,400 mg/kg (rabbit) Doral LD50 >9,400 mg/kg (rabbit) S873-54-1 diphenylmethane-2,4'-diisocyanate Doral LD50 >9,400 mg/kg (rabbit) Dral LD50 >2,000 mg/kg (rat) Doral D50 9,400 mg/kg (rabbit) Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Serious eye damage/irritation Causes serious eye irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and peoply who tend to diseases of the respiratory tracts against the contact with this product. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. Carcininge exposure May cause respiratory irritation. Se	202
DermalLD50>9,400 mg/kg (rabbit)nhalativeLC50/4 h 0.49 mg/l (rat) 101-68-8 diphenylmethane-4,4'-di-isocyanante DralLD50>10,000 mg/kg (rat)DermalLD50>9,400 mg/kg (rabbit)Startdiphenylmethane-2,4'-diisocyanateDralLD50>2,000 mg/kg (rat)DermalLD50>2,000 mg/kg (rat)DermalLD50>2,000 mg/kg (rat)DermalLD509,400 mg/kg (rabbit)nhalativeLC50/4 h 0.387 mg/l (rat)Primary irritant effect:Skin corrosion/irritation Causes skin irritation.Serious eye damage/irritation Causes serious eye irritation.Respiratory or skin sensitisationSensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product.May cause allergy or asthma symptoms or breathing difficulties if inhaled.May cause an allergic skin reaction.Germ cell mutagenicity Based on available data, the classification criteria are not met.Carcinogenicity Suspected of causing cancer.Reproductive toxicity Based on available data, the classification criteria are not met.STOT-single exposure May cause respiratory irritation.	
nhalative LC50/4 h 0.49 mg/l (rat)101-68-8 diphenylmethane-4,4'-di-isocyananteOralLD50>10,000 mg/kg (rat)DermalLD50>9,400 mg/kg (rabbit)5873-54-1 diphenylmethane-2,4'-diisocyanateOralLD50>2,000 mg/kg (rat)DermalLD509,400 mg/kg (rat)DermalLD509,400 mg/kg (rabbit)nhalative LC50/4 h 0.387 mg/l (rat)Primary irritant effect:Skin corrosion/irritation Causes skin irritation.Serious eye damage/irritation Causes serious eye irritation.Respiratory or skin sensitisationSensitive people may react strongly to minimal concentrations. We advise asthmatics and peoplevho tend to diseases of the respiratory tracts against the contact with this product.May cause an allergic skin reaction.Germ cell mutagenicity Based on available data, the classification criteria are not met.Carcinogenicity Suspected of causing cancer.Reproductive toxicity Based on available data, the classification criteria are not met.STOT-single exposure May cause respiratory irritation.	age
101-68-8 diphenylmethane-4,4'-di-isocyanante DralLD50>10,000 mg/kg (rat)DermalLD50>9,400 mg/kg (rabbit)5873-54-1 diphenylmethane-2,4'-diisocyanateDralLD50>2,000 mg/kg (rat)DermalLD509,400 mg/kg (rabbit)nhalativeLC50/4 h 0.387 mg/l (rat)Primary irritant effect:Skin corrosion/irritation Causes skin irritation.Serious eye damage/irritation Causes serious eye irritation.Respiratory or skin sensitisationSensitive people may react strongly to minimal concentrations. We advise asthmatics and peoplevho tend to diseases of the respiratory tracts against the contact with this product.May cause allergy or asthma symptoms or breathing difficulties if inhaled.May cause an allergic skin reaction.Germ cell mutagenicity Based on available data, the classification criteria are not met.Carcinogenicity Suspected of causing cancer.Reproductive toxicity Based on available data, the classification criteria are not met.STOT-single exposure May cause respiratory irritation.	
DralLD50>10,000 mg/kg (rat)DermalLD50>9,400 mg/kg (rabbit)5873-54-1diphenylmethane-2,4'-diisocyanateDralLD50>2,000 mg/kg (rat)DermalLD509,400 mg/kg (rabbit)nhalativeLC50/4 h 0.387 mg/l (rat)PermalLC50/4 h 0.387 mg/l (rat)Primary irritant effect:Skin corrosion/irritationCases skin irritation.Serious eye damage/irritationCauses serious eye irritation.Respiratory or skin sensitisationSensitive people may react strongly to minimal concentrations. We advise asthmatics and peoplyvho tend to diseases of the respiratory tracts against the contact with this product.May cause allergy or asthma symptoms or breathing difficulties if inhaled.May cause an allergic skin reaction.Germ cell mutagenicity Based on available data, the classification criteria are not met.Carcinogenicity Suspected of causing cancer.Reproductive toxicity Based on available data, the classification criteria are not met.STOT-single exposure May cause respiratory irritation.	
Dermal LD50 >9,400 mg/kg (rabbit) 5873-54-1 diphenylmethane-2,4'-diisocyanate Dral LD50 >2,000 mg/kg (rat) Dermal LD50 9,400 mg/kg (rabbit) nhalative LC50/4 h 0.387 mg/l (rat) Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and peoply who tend to diseases of the respiratory tracts against the contact with this product. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
5873-54-1 diphenylmethane-2,4'-diisocyanate Dral LD50 >2,000 mg/kg (rat) Dermal LD50 9,400 mg/kg (rabbit) nhalative LC50/4 h 0.387 mg/l (rat) Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and peoply to the tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Dral LD50 >2,000 mg/kg (rat) Dermal LD50 9,400 mg/kg (rabbit) nhalative LC50/4 h 0.387 mg/l (rat) Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and peoply who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Dermal LD50 9,400 mg/kg (rabbit) nhalative LC50/4 h 0.387 mg/l (rat) Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
nhalative LC50/4 h 0.387 mg/l (rat) Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Primary irritant effect: Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and peoply who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Respiratory or skin sensitisation Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Sensitive people may react strongly to minimal concentrations. We advise asthmatics and people who tend to diseases of the respiratory tracts against the contact with this product. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	le
May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation.	
STOT-single exposure May cause respiratory irritation.	
STOT repeated evene where a demose to even through prolonged or repeated even	
STOT-repeated exposure May cause damage to organs through prolonged or repeated expo Aspiration hazard Based on available data, the classification criteria are not met.	ure
1.2 Information on other hazards	
Endocrine disrupting properties	
None of the ingredients is listed.	
SECTION 12: Ecological information	
2.1 Toxicity No further relevant information available	
2.2 Persistence and degradability No further relevant information available.	
Dther information: Product is not biodegradable.	
2.3 Bioaccumulative potential No further relevant information available.	
2.4 Mobility in soil No further relevant information available.	
12.5 Results of PBT and vPvB assessment	
PBT: Not applicable. PVB: Not applicable.	
12.6 Endocrine disrupting properties	
This product does not contain components that are endocrine disruptors according to REACH	

Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

12.7 Other adverse effects

· *Remark:* Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Observe local by-laws.

(Contd. on page 7) EU-gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.07.2025

Version 6 (replaces version 5)

Revision: 17.07.2025

Trade name: OTTOCOLL P 340 Rapid

(Contd. of page 6) Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information			
· 14.1 UN number or ID number	14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void		
 14.2 UN proper shipping name 			
· ADR, ADN, IMDG, IATA	Void		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA			
· Class	Void		
· 14.4 Packing group			
· ADR, IMDG, IATA	Void		
 14.5 Environmental hazards: 			
· Marine pollutant:	No		
 14.6 Special precautions for user 	Not applicable.		
14.7 Maritime transport in bulk according to			
IMO instruments	Not applicable.		
 Transport/Additional information: 	Not dangerous according to the above specifications.		
· UN "Model Regulation":	Void		

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII
- No. 56 for general public No. 74 for commercial/industrial users
- Conditions of restriction: 3, 56a, 56b, 74
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- None of the ingredients is listed.

(Contd. on page 8)

EU-gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.07.2025

Version 6 (replaces version 5)

Revision: 17.07.2025

(Contd. of page 7)

Trade name: OTTOCOLL P 340 Rapid

· National regulations

· Information about limitation of use: Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Details of international registration status:

Listed on or in accordance with the following inventories:

REACH - Europe listed AICS - Australia listed DSL- Canada listed IECSC - China listed ENCS - Japan listed NZIoC - New Zealand listed PICCS - Philippines listed ECL - Korea listed TSCA - USA listed TCSI - Taiwan listed

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- Causes serious eye irritation. H319
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH204 Contains isocyanates. May produce an allergic reaction.

· Version number of previous version: 5

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

EU-gb