٦

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.05.2025

Г

Version 5 (replaces version 4)

Revision: 14.05.2025

1.1 Product identifier	
Application of the substance	<u>112</u> s of the substance or mixture and uses advised against ce / the mixture Silicone sealant rve the information in the technical data sheet
1.3 Details of the supplier of Manufacturer/Supplier: Hermann Otto GmbH Krankenhausstraße 14 D-83413 Fridolfing Tel.: 0049/(0)8684/908-0 Fax.: 0049/(0)8684/908-1840	
<i>Further information obtaina</i> Tel.: 0049- (0)8684- 908- 236 E-Mail: msds@otto-chemie.de 1.4 Emergency telephone n +44 1865 407333 (Carechem Tel.: 0049- (0) 89- 192 40 (en	53 (-4300) le n umber: n 24)
SECTION 2: Hazards id	dentification
Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Ensure good ventilation durin EUH208 Contains trimethoxy EUH210 Safety data sheet av 2.3 Other hazards During processing and curing	vinyIsilane. May produce an allergic reaction. vailable on request. g of the material, chemical substances are released into the air (see good room ventilation and, if necessary, exhaust ventilation. ssessment e-disrupting properties
Determination of endocrine This product does not contain	n components that are endocrine disruptors according to REACH Delegated Regulation (EU) 2017/2100 or Commission Delegated quantities of 0.1% or more.
Determination of endocrine This product does not contain Article 57(f) or Commission D Regulation (EU) 2018/605 in	Delegated Regulation (EU) 2017/2100 or Commission Delegated
Determination of endocrine This product does not contain Article 57(f) or Commission D Regulation (EU) 2018/605 in SECTION 3: Compositi 3.2 Mixtures Description: Polydimethylsik	Delegated Regulation (EU) 2017/2100 or Commission Delegated quantities of 0.1% or more.
Determination of endocrine This product does not contain Article 57(f) or Commission D Regulation (EU) 2018/605 in SECTION 3: Compositi 3.2 Mixtures	Delegated Regulation (EU) 2017/2100 or Commission Delegated quantities of 0.1% or more. ion/information on ingredients oxane, filler, auxiliaries, alkoxysilane crosslinker trimethoxyvinylsilane Image: Solution of the second seco

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.05.2025

Version 5 (replaces version 4)

Revision: 14.05.2025

Trade name: OTTOSEAL S 112

· Additional information

For the wording of the listed hazard phrases refer to section 16.

Particulate raw materials with risk of inhalation are inextricably bound in the product and therefore does not trigger classification of the product for inhalation hazards. Due to the product's physical properties, particulate inhalation exposure is not possible.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

- *If skin irritation continues, consult a doctor.*
- · After eye contact
- Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing
- Do not induce vomiting; call for medical help immediately. Show container or label.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment:
- Mount respiratory protective device.

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. see item 8: Personal protective equipment
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.05.2025

Version 5 (replaces version 4)

Revision: 14.05.2025

Trade name: OTTOSEAL S 112

Store in cool, dry conditions in well sealed i Protect from heat and direct sunlight. 7.3 Specific end use(s) No further relevan	
SECTION 8: Exposure controls/p	ersonal protection
8.1 Control parameters	
Ingredients with limit values that require CAS No. Designation of material %	
	t Values for possible hazards during processing:
67-56-1 methanol	
IOELV Long-term value: 260 mg/m ³ , 200 pj	nm
Skin	
Additional information: The lists valid dur	ring the making were used as basis.
8.2 Exposure controls	
Appropriate engineering controls No fun	ther data; see section 7.
Individual protection measures, such as personal protective equipment	
General protective and hygienic measur	
The usual precautionary measures are to b	
Wash hands before breaks and at the end	OF WORK.
Avoid contact with the eyes and skin. Hand protection Protective gloves.	
Material of gloves	
	ot only depend on the material, but also on further marl
of quality and varies from manufacturer to r	
Recommended glove types: nitrile rubber	
Recommended thickness of the material: >	
Recommended thickness of the material: > Penetration time of glove material Break	
Recommended thickness of the material: >	through time: 10 - 30 min
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses	through time: 10 - 30 min
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing.	through time: 10 - 30 min
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic	through time: 10 - 30 min .al properties
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and cl	through time: 10 - 30 min .al properties
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information	through time: 10 - 30 min cal properties hemical properties
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state	through time: 10 - 30 min cal properties hemical properties Liquid
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information	through time: 10 - 30 min cal properties hemical properties
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point:	through time: 10 - 30 min al properties hemical properties Liquid According to product specification
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and	through time: 10 - 30 min al properties hemical properties Liquid According to product specification Characteristic undetermined
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range	through time: 10 - 30 min cal properties hemical properties Liquid According to product specification Characteristic
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and cl General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit	through time: 10 - 30 min al properties hemical properties Liquid According to product specification Characteristic undetermined undetermined
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and cl General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower:	through time: 10 - 30 min
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper:	through time: 10 - 30 min
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and cl General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower:	through time: 10 - 30 min
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper:	through time: 10 - 30 min
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH	through time: 10 - 30 min cal properties hemical properties Liquid According to product specification Characteristic undetermined undetermined not applicable not applicable Not applicable (test methods for flash point not valid for pasty substances and highly viscous liquids) Not determined. Not determined.
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity:	through time: 10 - 30 min al properties hemical properties Liquid According to product specification Characteristic undetermined undetermined not applicable not applicable Not applicable (test methods for flash point not valid for pasty substances and highly viscous liquids) Not determined.
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility	through time: 10 - 30 min cal properties hemical properties Liquid According to product specification Characteristic undetermined undetermined not applicable not applicable Not applicable (test methods for flash point not valid for pasty substances and highly viscous liquids) Not determined. Not determined. Not determined.
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility Water:	through time: 10 - 30 min cal properties hemical properties Liquid According to product specification Characteristic undetermined undetermined not applicable not applicable Not applicable (test methods for flash point not valid for pasty substances and highly viscous liquids) Not determined. Not determined. Not determined. Not determined. Not determined.
Recommended thickness of the material: > Penetration time of glove material Break Eye/face protection Safety glasses Body protection: Protective work clothing. SECTION 9: Physical and chemic 9.1 Information on basic physical and ch General Information Physical state Colour: Odour: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Solubility	through time: 10 - 30 min cal properties hemical properties Liquid According to product specification Characteristic undetermined undetermined not applicable not applicable Not applicable (test methods for flash point not valid for pasty substances and highly viscous liquids) Not determined. Not determined. Not determined. Not determined. Not determined.

(Contd. on page 4)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.05.2025

Version 5 (replaces version 4)

Revision: 14.05.2025

Trade name: OTTOSEAL S 112

	(Contd. of page 3)
 Density and/or relative density Density: Relative density Vapour density Particle characteristics 	see technical data sheet Not determined. Not applicable. undetermined
• 9.2 Other information • Form: • Ignition temperature: • Explosive properties:	pasty Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Information with regard to physic classes	
· Aerosols · Flammable liquids	Void Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- **10.3 Possibility of hazardous reactions** Contact with humidity, water and protic agents produces ethanol. Contact with humidity, water and protic agents produces methanol.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** see item 5.2

Tests on representative products have shown that above temperatures of 150° C small quantities of formaldehyde are split off.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- <u>LD/LC50 values relevant for classification:</u>

2768-02-7 trimethoxyvinylsilane

Oral	LD50	7,100 mg/kg (rat)
Dermal	LD50	3,200 mg/kg (rab)

Inhalative LC50/4 h 16.8 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

dermal: not sensitizing

Source: Conclusion by analogy

Test report according to OECD Guideline 406 (Guinea Pigs)

Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 5)

EU-gb

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.05.2025

Version 5 (replaces version 4)

Revision: 14.05.2025

(Contd. of page 4)

Trade name: OTTOSEAL S 112

· Other information (about experimental toxicology):

Ethanol is released upon contact with water (humidity). According to literature, ethanol (67-17-5) irritates the mucous membranes, slightly irritates the skin, degreases the skin, is narcotic and may cause liver damage.

Product hydrolyses under formation of methanol (CAS no. 67-56-1). Methanol is toxic by inhalation, in contact with skin and if swallowed. Methanol causes damage to organs. Methanol is highly flammable. Inhalation of aerosol spray may damage health.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

- **SECTION 12: Ecological information**
- **12.1 Toxicity** No further relevant information available
- · 12.2 Persistence and degradability No further relevant information available.
- · Other information: Product is not biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

This product does not contain components that are endocrine disruptors according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- Recommendation
- Observe local by-laws.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

· Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
[.] 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA		
· Class	Void	
[.] 14.4 Packing group		
ADR, IMDG, IATA	Void	

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.05.2025

Version 5 (replaces version 4)

Revision: 14.05.2025

Trade name: OTTOSEAL \$ 112

	(0	Contd. of page 5)
 14.5 Environmental hazards: 		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Maritime transport in bulk according to 	0	
IMO instruments	Not applicable.	
• Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed. • Annex II - REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
- **Regulation (EC) No 273/2004 on drug precursors** None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Details of international registration status:
- Listed on or in accordance with the following inventories:

REACH - Europe listed AICS - Australia listed DSL - Canada not listed IECSC - China listed ENCS - Japan listed PICCS - Philippines listed ECL - Korea listed TSCA - USA listed TCSI - Taiwan listed NZIOC - New Zealand listed

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

H226 Flammable liquid and vapour. H317 May cause an allergic skin reaction.

(Contd. on page 7)

EU-gb

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.05.2025

Version 5 (replaces version 4)

Revision: 14.05.2025

Trade name: OTTOSEAL S 112

	(Contd. of page 6)
H332 Harmful if inhaled.	
 Version number of previous version: 4 	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses p Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation	par chemin de fer (Regulations
ADR: Accord relatif au transport international des marchandises dangereuses par route the International Carriage of Dangerous Goods by Road)	e (European Agreement Concerning
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Sens. 1B: Skin sensitisation – Category 1B	
	EU-gb