Printing date 12.02.2025

Version 5 (replaces version 4)

Revision: 12.02.2025

	1.1 Product identifier
	Trade name: <u>OTTO Natural smoothing agent</u> 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Processing aid Uses advised against Observe the information in the technical data sheet
11.	<b>1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:</b> Hermann Otto GmbH Krankenhausstraße 14 D-83413 Fridolfing Tel.: 0049/(0)8684/908-0 Fax.: 0049/(0)8684/908-1840
	Further information obtainable from: Tel.: 0049- (0)8684- 908- 2363 ( -4300 ) E-Mail: msds@otto-chemie.de <b>1.4 Emergency telephone number:</b> Tel.: 0049- (0) 89- 192 40 (emergency telephone no.) +44 1865 407333 (Carechem 24)
	SECTION 2: Hazards identification
•	<b>2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008</b> The product is not classified, according to the GB CLP regulation.
	<ul> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 Void</li> <li>Hazard pictograms Void</li> <li>Signal word Void</li> <li>Hazard statements Void</li> <li>Additional information:</li> <li>Contains the following biocidal active substances:</li> <li>EUH208 Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3 one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.</li> <li>EUH210 Safety data sheet available on request.</li> <li>2.3 Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> <li>Determination of endocrine-disrupting properties</li> <li>This product does not contain components that are endocrine disruptors according to UK REACHArticle 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.</li> </ul>
	SECTION 3: Composition/information on ingredients
	<b>3.2 Mixtures</b> Description: Solvent of potassium soaps, natural fatty acids and tensides (Contd. on pag

Printing date 12.02.2025

Version 5 (replaces version 4)

Revision: 12.02.2025

#### Trade name: OTTO Natural smoothing agent

_		ntd. of page 1
Dangerous compo		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.05%
EINECS: 220-120-5	<ul> <li>9</li></ul>	
CAS: 55965-84-9	mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H- isothiazol-3-one	<0.0015%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318;  Aquatic Acute 1,	
	H400 (M=100); Aquatic Chronic 1, H410 (M=100); ↔ Skin Sens. 1A H317, EUH071	,
	Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6$ %	
	, Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

#### SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · After inhalation No special measures required.
- · After skin contact Rinse with warm water. If skin irritation continues, consult a doctor.
- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing

Do not induce vomiting; call for medical help immediately. Show container or label.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents The product is not flammable. Adapt fire extinguishing measures and extinguishing agents to the surrounding fire.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product. Product forms slippery surface when combined with water.
- 6.2 Environmental precautions: Do not allow to penetrate the ground/soil.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Dilute with plenty water.

(Contd. on page 3)

Printing date 12.02.2025

Version 5 (replaces version 4)

Revision: 12.02.2025

#### Trade name: OTTO Natural smoothing agent

(Contd. of page 2)

• 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling see item 8: Personal protective equipment

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

Preventive skin protection by use of skin-protecting agents is recommended. Protective gloves.

- Material of gloves
- Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Recommended glove types: nitrile rubber

Recommended thickness of the material: >0,4 mm

- · Penetration time of glove material Breakthrough time: 10 30 min
- Eye/face protection Goggles recommended during refilling.
- · Body protection: Protective work clothing.

#### **SECTION 9: Physical and chemical properties**

Physical state	Liquid
Colour:	Transparent
Odour:	Odourless
Melting point/freezing point:	0 °C (Wasser)
Boiling point or initial boiling point a	and
boiling range	100 °C (Wasser)
Lower and upper explosion limit	
Lower:	not applicable
Upper:	not applicable
Flash point:	Not applicable
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	Not determined.

(Contd. on page 4)

### Safety data sheet

according to UK REACH

Printing date 12.02.2025

Version 5 (replaces version 4)

Revision: 12.02.2025

#### Trade name: OTTO Natural smoothing agent

	(Contd. of pag	ge 3)
· Solubility		
· Water:	Fully miscible	
· Partition coefficient n-octanol/water (log		
value)	Not determined.	
Vapour pressure at 20 °C:	23 hPa (Wasser)	
Density and/or relative density		
Density at 20 °C:	1 g/cm³	
Relative density	Not determined.	
· Vapour density	Not applicable.	
Particle characteristics	undetermined	
<sup>•</sup> 9.2 Other information		
· Form:	Fluid	
· Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Information with regard to physical hazard	d	
classes		
Aerosols	Void	
· Flammable liquids	Void	

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Avoid strong heating.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: see item 5.2

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- **12.1 Toxicity** No further relevant information available
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 5)

gt

Printing date 12.02.2025

Version 5 (replaces version 4)

Revision: 12.02.2025

#### Trade name: OTTO Natural smoothing agent

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• **12.6 Endocrine disrupting properties** This product does not contain components that are endocrine disruptors according to UK REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Observe local by-laws.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- Recommendation:

*Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.* 

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	
· 14.1 UN number or ID number	
· ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> </ul>	
· ADR, ADN, IMDG, IATA	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA	
Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> </ul>	
· Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according to</li> </ul>	
IMO instruments	Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

#### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

(Contd. on page 6)

(Contd. of page 4)

### Safety data sheet

according to UK REACH

Printing date 12.02.2025

Version 5 (replaces version 4)

Revision: 12.02.2025

#### Trade name: OTTO Natural smoothing agent

Regulated poiso	ıs	(Contd. of pag
None of the ingred		
•	sives precursors	
None of the ingred	ients is listed.	
Reportable poise	ns	
None of the ingred DIRECTIVE 2011		riction of the use of certain hazardous substances in
electrical and ele	ctronic equipmen	t – Annex II
None of the ingred REGULATION (E	U) 2019/1148	ES PRECURSORS (Upper limit value for the purpose of
licensing under		
None of the ingred	,	
•		VES PRECURSORS
None of the ingred	lients is listed.	
	lo 273/2004 on dr	ug precursors
None of the ingred		
		g down rules for the monitoring of trade between the
-	hird countries in (	urug precursors
None of the ingred	ients is listed.	
National regulati	ons	
Details of interna Listed on or in a UK REACH - Euro AICS - Australia DSL- Canada lis IECSC - China ENCS - Japan NZIOC - New Zea PICCS - Philipping ECL - Korea I TSCA - USA TCSI - Taiwan	tional registration cordance with the pe listed listed listed listed and listed s listed sted listed listed listed	e following inventories:
		A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

(Contd. on page 7)

gb

Printing date 12.02.2025

Version 5 (replaces version 4)

Revision: 12.02.2025

#### Trade name: OTTO Natural smoothing agent

<ul> <li>Date of previous version: 12.12.2022</li> <li>Version number of previous version: 4</li> <li>Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPVB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 1 Skin Corr. 1C: Skin corrosion/irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 <b>* Data compared to the previous version altered.</b></li></ul>		(Contd. of page
<ul> <li>Version number of previous version: 4</li> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Airitime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>Acute Tox. 3: Acute toxicity – Category 3</li> <li>Acute Tox. 2: Acute toxicity – Category 2</li> <li>Skin Corr. 1C: Skin corrosion/irritation – Category 1C</li> <li>Skin Irrit. 2: Skin sensitisation – Category 1A</li> <li>Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1</li> <li>Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1</li> </ul>	Date of previous version: 12.12.2022	、
<ul> <li>Abbreviations and acronyms:</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>Acute Tox. 3: Acute toxicity – Category 3</li> <li>Acute Tox. 2: Acute toxicity – Category 4</li> <li>Acute Tox. 2: Acute toxicity – Category 2</li> <li>Skin Corr. 1C: Skin corrosion/irritation – Category 1</li> <li>Skin Sens. 1A: Skin sensitisation – Category 1A</li> <li>Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1</li> </ul>		
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	ADR: Accord relatif au transport international des marchandises dangereuses par route (European A	greement Concernin
GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	5	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 1 Skin Sens. 1A: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	Acute Tox. 2: Acute toxicity – Category 2	
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
Skin Sens. 1A: Skin sensitisation – Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1		