

# OTTOCOLL®

# M 500

Sustainability data sheet

## Inspections/authorisations



- EMICODE® EC 1<sup>PLUS</sup> – very low emission



- French VOC-emission class A+



- Declaration in “baubook” Austria

Information available from: [www.baubook.info](http://www.baubook.info)

- Environmental Product Declarations (EPD)

Declaration number: EPD-FEI-20220021-IBG1-EN

## Building certification system

### QNG - Quality Seal for Sustainable Buildings

#### Version 1.3

<b>Criterion</b>	Avoiding harmful substances in building materials
<b>Overview table</b>	4. Adhesives and sealants - line 4.2
<b>Building product group</b>	Adhesives and sealants processed on site based on PU, PU hybrid and SMP formulations (silane-modified polymers) in interior spaces
<b>Requirements</b>	Product documentation and declaration of contained SVHC >0.1 % and chlorinated paraffins, TCEP, PBB and PBDs ≤0.1 % and solvent-free or GISCODE PU10, PU20, PU40 (ALT) or PU50 (ALT)
<b>Classification</b>	<b>Meets the requirements, as declaration of contained SVHC &gt;0.1 % and chlorinated paraffins, TCEP, PBB und PBDE ≤0.1 % and solvent-free.</b>

---

**DGNB – Deutsche Gesellschaft für Nachhaltiges Bauen (German Sustainable Building Council)****Version 2023**

<b>Criterion</b>	ENV 1.2 Risks for the local environment	
<b>Criteria matrix</b>	line no. 11	
<b>Product type</b>	Sealing compounds, sealants, adhesives for dot and line-formed bonding of building components on the interior: - mechanically stressed joints - baseboards - door rails - support adhesive (raised or hollow floor) - ventilation ducts  This refers to acrylic adhesives/bonding agents, silicone sealants, PU adhesives and silane-modified polymers (SMP).	
<b>Requirements</b>	Quality category 1 (low)	GISCODE PU10, PU20, RS10, DA20, DSE20, DSA20, DSO20 or DH20 and bonus points SVHC ≤0.1 %
	Quality category 2	GISCODE PU10, PU20, RS10, DA20, DSE20, DSA20, DSO20 or DH20 and bonus points SVHC ≤0.1 %
	Quality category 3	GISCODE PU10, PU20, RS10, DA20, DSE20, DSA20, DSO20 or DH20 and EMICODE® EC 1 <sup>PLUS</sup> and bonus points SVHC ≤0.1 %
	Quality category 4 (high)	GISCODE PU10, PU20, RS10, DA20, DSE20, DSA20, DSO20 or DH20 and EMICODE® EC 1 <sup>PLUS</sup> and bonus points SVHC ≤0.1 %
<b>Classification</b>	<b>Fulfills quality category 4 requirements with GISCODE RS10 and EMICODE® EC 1<sup>PLUS</sup> and SVHC ≤0.1 %.</b>	

---

**DGNB – Deutsche Gesellschaft für Nachhaltiges Bauen (German Sustainable Building Council)****Version 2018**

<b>Criterion</b>	ENV 1.2 Risks for the local environment	
<b>Criteria matrix</b>	line no. 11	
<b>Product type</b>	Sealants, adhesives for dot and line-formed bonding of building components on the interior. This refers to PU adhesives and silane-modified polymers (SMP).	
<b>Requirements</b>	Quality category 1 (low)	GISCODE PU20 or RS10
	Quality category 2	GISCODE PU20 or RS10
	Quality category 3	GISCODE PU20 or RS10 and EMICODE® EC 1 or EC 1 <sup>PLUS</sup>
	Quality category 4 (high)	GISCODE PU20 or RS10 and EMICODE® EC 1 or EC 1 <sup>PLUS</sup>
<b>Classification</b>	<b>Fulfills quality category 4 requirements with GISCODE RS10 and EMICODE® EC 1<sup>PLUS</sup>.</b>	

---

**DGNB – Deutsche Gesellschaft für Nachhaltiges Bauen (German Sustainable Building Council)****Version 2018**

<b>Criterion</b>	ENV 1.2 Risks for the local environment	
<b>Criteria matrix</b>	line no. 12	
<b>Product type</b>	Sealants, sealant compounds, adhesives for punctiform and linear bonding of interior components and ventilation ducts within buildings. This refers to acrylate sealants/adhesives, silicone sealants and SMP (hybrid sealants).	
<b>Requirements</b>	Quality category 1 (low)	–
	Quality category 2	No chlorinated paraffins declared in the SDS
	Quality category 3	Chlorinated paraffins <0.1 %
	Quality category 4 (high)	Chlorinated paraffins <0.1 %, solvents <1 % and PAH plasticisers <0.1 %
<b>Classification</b>	<b>Fulfills quality category 4 requirements with chlorinated paraffins &lt;0.1 %, solvents &lt;1 % and PAH plasticisers &lt;0.1 %.</b>	

<b>Criterion</b>	1.1.6 Risks for the local environment	
<b>Overview table</b>	6. Adhesives and sealants – line no. 8	
<b>Construction product type</b>	Adhesives and sealants made of PU, SMP (silane-modified polymers), acrylate (including dispersion adhesives) or silicone for punctiform and linear bonding and sealing in the interior, including TGA.	
<b>Requirements</b>	Quality category 1 (low)	Documentation, declaration of contained SVHC >0.1 % and declaration of biocidal agents (if used).
	Quality category 2	Declaration of biocidal agents (if used) and declaration of contained SVHC >0.1 % and chlorinated paraffins <0.1 %. For PU adhesives additionally applies: GISCODE PU10 or PU20 and TCEP <0.1 %.
	Quality category 3	Declaration of biocidal agents (if used) and declaration of contained SVHC >0.1 % and chlorinated paraffins <0.1 %. For PU adhesives additionally applies: GISCODE PU10 or PU20 and TCEP <0.1 %.
	Quality category 4	No amine- or oxime-interlacing silicones. Additionally applies: RAL-UZ 123 or EMICODE® EC 1/EC 1 <sup>PLUS</sup> and chlorinated paraffins <0.1 % and declaration of biocidal agents (if used) and declaration of contained SVHC >0.1 %. For PU adhesives additionally applies: TCEP <0.1 %.
	Quality category 5 (high)	No amine- or oxime-interlacing silicones. Additionally applies: RAL-UZ 123 or EMICODE® EC 1/EC 1 <sup>PLUS</sup> and chlorinated paraffins <0.1 % and declaration of biocidal agents (if used) and declaration of contained SVHC >0.1 %. For PU adhesives additionally applies: TCEP <0.1 %.
<b>Classification</b>	<b>Fulfills the quality category 5 requirements as no amine- or oxime-interlacing silicone and EMICODE® EC 1<sup>PLUS</sup> and declaration of biocidal agents (if used) and declaration of SVHC &gt;0.1 % and chlorinated paraffins &lt;0.1 %.</b>	

---

<b>Documentation documents</b>	All the listed documents can be downloaded from <a href="http://www.otto-chemie.com">www.otto-chemie.com</a>
	1. Technical data sheet
	2. Safety data sheet
	3. Sustainability data sheet
	4. Test certificates
	5. Environmental product declaration

---

This information is based on our knowledge at the time of the compilation (see below). The current version can be viewed on our website at: [www.otto-chemie.com](http://www.otto-chemie.com). Furthermore, the information in the documents accompanying the products is applicable.

---