

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Ardex

Index: 16.05.2019

FK Belastungsfuge	OTTOSEAL® S 100	
basalt	C1168	fair-graphite
grau	C52	platinum grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
bahamabeige	C1106	beach-beige
balibraun	C05	brown
basalt	C1168	fair-graphite
dunkelbraun	C21	bali
grau	C52	platinum grey
graubraun	C6777	fango
hellgrau	C787	flash grey
jasmin	C08	jasmin
jurabeige	C103	sahara
pergamon	C84	pergamum
sandbeige	C6672	sand-beige
sandgrau	C1010	grey-red
silbergrau	C230	fog
steingrau	C2044	sand grey 18
weiß	C116	snow-white
zementgrau	C79	stone grey
G4 Basic Fugenmörtel schmal 1-6 mm	OTTOSEAL® S 100	
brillantweiß	C01	white
jasmin	C08	jasmin
pergamon	C84	pergamum
silbergrau	C230	fog
zementgrau	C79	stone grey
G5 Basic Fugenmörtel breit 2-15 mm	OTTOSEAL® S 100	
basalt	C1168	fair-graphite
grau	C52	platinum grey
silbergrau	C230	fog
zementgrau	C79	stone grey
G6 Flex Fugenmörtel 1-6 mm	OTTOSEAL® S 100	
bahamabeige	C1106	beach-beige
brillantweiß	C01	white
hellgrau	C787	flash grey
jasmin	C08	jasmin
pergamon	C84	pergamum
silbergrau	C230	fog
zementgrau	C79	stone grey

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Ardex

Index: 16.05.2019

G7 Flex Fugenmörtel 2-15 mm	OTTOSEAL® S 100	
basalt	C1168	fair-graphite
grau	C52	platinum grey
zementgrau	C79	stone grey
G8S Flex Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
bahamabeige	C1106	beach-beige
balibraun	C05	brown
basalt	C1168	fair-graphite
grau	C52	platinum grey
graubraun	C6777	fango
hellgrau	C787	flash grey
jurabeige	C103	sahara
pergamon	C84	pergamum
sandgrau	C1010	grey-red
silbergrau	C230	fog
steingrau	C2044	sand grey 18
weiß	C116	snow-white
zementgrau	C79	stone grey
G9S Flex Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
basalt	C1168	fair-graphite
grau	C52	platinum grey
silbergrau	C230	fog
zementgrau	C79	stone grey
GK Belastungsfuge ab 4 mm	OTTOSEAL® S 100	
basalt	C1168	fair-graphite
grau	C52	platinum grey
sandbeige	C6672	sand-beige
RG 1-6 Feine Epoxifuge	OTTOSEAL® S 100	
anthrazit	C5176	velvet black
bahamabeige	C1106	beach-beige
basalt	C1168	fair-graphite
grau	C52	platinum grey
graubraun	C6777	fango
sandgrau	C1010	grey-red
silbergrau	C230	fog
weiß	C116	snow-white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Ardex

Index: 16.05.2019

WA Epoxifuge	OTTOSEAL® S 100
anthrazit	C5176 velvet black
grau	C52 platinum grey
silbergrau	C230 fog

Colour recommendations

OTTOSEAL® S 105

The standard acetate silicone

Ardex

Index: 16.05.2019

FK Belastungsfuge	OTTOSEAL® S 105
basalt	C1168 fair-graphite
grau	C52 platinum grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 105
bahamabeige	C1106 beach-beige
basalt	C1168 fair-graphite
grau	C52 platinum grey
hellgrau	C787 flash grey
jasmin	C08 jasmin
silbergrau	C230 fog
steingrau	C2044 sand grey 18
weiß	C116 snow-white
zementgrau	C79 stone grey
G4 Basic Fugenmörtel schmal 1-6 mm	OTTOSEAL® S 105
brillantweiß	C01 white
jasmin	C08 jasmin
pergamon	C84 pergamon
silbergrau	C230 fog
zementgrau	C79 stone grey
G5 Basic Fugenmörtel breit 2-15 mm	OTTOSEAL® S 105
silbergrau	C230 fog
zementgrau	C79 stone grey
G6 Flex Fugenmörtel 1-6 mm	OTTOSEAL® S 105
bahamabeige	C1106 beach-beige
brillantweiß	C01 white
hellgrau	C787 flash grey
jasmin	C08 jasmin
pergamon	C84 pergamon
silbergrau	C230 fog
zementgrau	C79 stone grey
G7 Flex Fugenmörtel 2-15 mm	OTTOSEAL® S 105
basalt	C1168 fair-graphite
zementgrau	C79 stone grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 105

The standard acetate silicone

Ardex

Index: 16.05.2019

G8S Flex Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 105
bahamabeige	C1106 beach-beige
balibraun	C05 brown
basalt	C1168 fair-graphite
hellgrau	C787 flash grey
pergamon	C84 pergamum
silbergrau	C230 fog
weiß	C116 snow-white
zementgrau	C79 stone grey
G9S Flex Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 105
basalt	C1168 fair-graphite
grau	C52 platinum grey
silbergrau	C230 fog
zementgrau	C79 stone grey
GK Belastungsfuge ab 4 mm	OTTOSEAL® S 105
grau	C52 platinum grey
RG 1-6 Feine Epoxifuge	OTTOSEAL® S 105
basalt	C1168 fair-graphite
grau	C52 platinum grey
silbergrau	C230 fog
weiß	C116 snow-white
WA Epoxifuge	OTTOSEAL® S 105
grau	C52 platinum grey
silbergrau	C230 fog
weiß	C01 white

Colour recommendations

OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

Ardex

Index: 16.05.2019

FK Belastungsfuge	OTTOSEAL® S 130
grau	C56 concrete grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 130
anthrazit	C67 anthracite
grau	C56 concrete grey
jasmin	C08 jasmin
weiß	C116 snow-white
G4 Basic Fugenmörtel schmal 1-6 mm	OTTOSEAL® S 130
jasmin	C08 jasmin
G5 Basic Fugenmörtel breit 2-15 mm	OTTOSEAL® S 130
basalt	C56 concrete grey
G6 Flex Fugenmörtel 1-6 mm	OTTOSEAL® S 130
brilliantweiß	C116 snow-white
jasmin	C08 jasmin
G7 Flex Fugenmörtel 2-15 mm	OTTOSEAL® S 130
grau	C56 concrete grey
G8S Flex Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 130
anthrazit	C67 anthracite
grau	C56 concrete grey
jurabeige	C10 bahamabeige
weiß	C116 snow-white
G9S Flex Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 130
anthrazit	C67 anthracite
grau	C56 concrete grey
GK Belastungsfuge ab 4 mm	OTTOSEAL® S 130
grau	C56 concrete grey
RG 1-6 Feine Epoxifuge	OTTOSEAL® S 130
anthrazit	C67 anthracite
grau	C56 concrete grey
weiß	C116 snow-white
WA Epoxifuge	OTTOSEAL® S 130
anthrazit	C67 anthracite
grau	C56 concrete grey
weiß	C116 snow-white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 140

The hotel and spa silicone with double protection against mould

Ardex

Index: 16.05.2019

FK Belastungsfuge	OTTOSEAL® S 140
grau	C18 sanitary grey
G10 Premium Flex-Fugenmörtel	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
weiß	C116 snow-white
G6 Flex Fugenmörtel 1-6 mm	OTTOSEAL® S 140
brillantweiß	C116 snow-white
G7 Flex Fugenmörtel 2-15 mm	OTTOSEAL® S 140
grau	C18 sanitary grey
G8S Flex Fugenmörtel 1-6mm - schnell	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
weiß	C116 snow-white
G9S Flex Fugenmörtel 2-15 mm schnell	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
GK Belastungsfuge ab 4 mm	OTTOSEAL® S 140
grau	C18 sanitary grey
MG Natursteinfuge bis 8 mm	OTTOSEAL® S 140
anthrazit	C67 anthracite
brillantweiß	C116 snow-white
steingrau	C18 sanitary grey
RG 1-6 Feine Epoxifuge	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
weiß	C116 snow-white
WA Epoxifuge	OTTOSEAL® S 140
anthrazit	C67 anthracite
grau	C18 sanitary grey
weiß	C116 snow-white

Colour recommendations

OTTOSEAL® S 18

The swimming pool silicone

Ardex

Index: 16.05.2019

WA Epoxifuge	OTTOSEAL® S 18
weiß	C01 white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Ardex

Index: 16.05.2019

MG Natursteinfuge bis 8 mm	OTTOSEAL® S 70	
anthrazit	C67	anthracite
brillantweiß	C01	white
jurabeige	C10	bahamabeige
sandbeige	C1110	sandstone-beige
silbergrau	C230	fog
steingrau	C56	concrete grey

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Ardex

Index: 16.05.2019

MG Natursteinfuge bis 8 mm	OTTOSEAL® S 80	
anthrazit	C67	anthracite
brillantweiß	C01	white
jurabeige	C10	bahamabeige
silbergrau	C230	fog

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives