

Colour recommendations

OTTOSEAL® S100

The premium bathroom silicone

Benfer

Index: 17.11.2016

Fugenmörtel	OTTOSEAL® S100
anthracite 7037	C67 anthracite
beige 1013	C1106 beach-beige
bianco	C01 white
blu 5013	C42 sorrentoblue
camel 1001	C09 caramel
crema marfil 9001	C55 natural
crocus	C753 crocus-blue
giallo 1012	C19 curry
grigio 7042	C02 grey
grigio cemento 7030	C56 concrete grey
grigio chiaro 7035	C43 manhattan
grigio tortora	C2044 sand grey 18
marrone 8011	C05 brown
nero 9004	C04 black
off white	C08 jasmin
rosso maranello 3003	C59 ruby
tabacco 8007	C07 deer-brown
testa di moro 8017	C21 bali
travertino	C22 anemone

Colour recommendations

OTTOSEAL® S105

The alternative bathroom silicone

Benfer

Index: 17.11.2016

Fugenmörtel	OTTOSEAL® S105
beige 1013	C84 pergamum
bianco	C01 white
grigio 7042	C02 grey
grigio chiaro 7035	C43 manhattan
marrone 8011	C05 brown
nero 9004	C04 black
off white	C08 jasmin

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

Benfer

Index: 17.11.2016

Fugenmörtel	OTTOSEAL® S130
grigio cemento 7030	C56 concrete grey
grigio chiaro 7035	C43 manhattan
nero 9004	C04 black
off white	C08 jasmin

Colour recommendations

OTTOSEAL® S140

The hotel and spa silicone with double protection against mould

Benfer

Index: 17.11.2016

Fugenmörtel	OTTOSEAL® S140
azzurro 5012	C990 adria blue
grigio 7042	C02 grey
grigio chiaro 7035	C43 manhattan
grigio tortora	C18 sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S18

The swimming pool silicone

Benfer

Index: 17.11.2016

Fugenmörtel	OTTOSEAL® S18
bianco	C01 white
grigio 7042	C02 grey

Colour recommendations

OTTOSEAL® S70

The premium natural stone silicone

Benfer

Index: 17.11.2016

Fugenmörtel	OTTOSEAL® S70
anthracite 7037	C137 anthracite grey
azzurro 5012	C990 adria blue
beige 1013	C84 pergamum
bianco	C01 white
grigio 7042	C1109 night-grey
grigio cemento 7030	C56 concrete grey
grigio chiaro 7035	C43 manhattan
marrone 8011	C05 brown
nero 9004	C04 black
off white	C1110 sandstone-beige
verde smeraldo 6024	C37 dark green

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S80

The premium alkoxy natural stone silicone

Benfer

Index: 17.11.2016

Fugenmörtel	OTTOSEAL® S80
anthracite 7037	C137 anthracite grey
beige 1013	C84 pergamum
bianco	C01 white
grigio 7042	C1109 night-grey
grigio cemento 7030	S56 concrete grey
grigio chiaro 7035	C43 manhattan
marrone 8011	C05 brown
nero 9004	C04 black
off white	C1110 sandstone-beige

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives