

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Codex (ehem. Uzin)

Index: 06.12.2017

Brillant Color Xtra	OTTOSEAL® S 100
achatgrau 04	C94 silver-grey
anthrazit 10	C67 anthracite
bahamabeige 13	C84 pergamum
brillantweiß 01	C01 white
caramel 15	C22 anemone
choco 17	C05 brown
dunkelgrau 09	C02 grey
jasmin 12	C69 joint white
lichtblau 22	C753 crocus-blue
manhattan 03	C86 pale grey
mint 26	C695 aegean blue
pergamon 11	C1107 vanilla-beige
sandbeige 14	C82 red-beige
silbergrau 02	C787 flash grey
stella 18	C23 magnolia
Brillant Cristal	OTTOSEAL® S 100
achatgrau 04	C94 silver-grey
anthrazit 10	C67 anthracite
bahamabeige 13	C84 pergamum
brillantweiß 01	C01 white
choco 17	C05 brown
dunkelgrau 09	C02 grey
havanna 36	C60 umbra
jasmin 12	C69 joint white
kaschmirgrau 35	C2044 sand grey 18
lichtgrau 05	C77 silk grey
platingrau 33	C43 manhattan
silbergrau 02	C787 flash grey
Brillant Flex	OTTOSEAL® S 100
grau 06	C56 concrete grey
Brillant Flex Basic	OTTOSEAL® S 100
anthrazit 10	C67 anthracite
grau 06	C56 concrete grey
zementgrau 08	C2044 sand grey 18
Brillant Objekt	OTTOSEAL® S 100
lichtgrau 05	C77 silk grey
Brillant XL	OTTOSEAL® S 100
zementgrau 08	C2044 sand grey 18

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Codex (ehem. Uzin)

Index: 06.12.2017

Resist	OTTOSEAL® S 100
zementgrau	C2044 sand grey 18
X-Star	OTTOSEAL® S 100
achatgrau 04	C94 silver-grey
anthrazit 10	C67 anthracite
dunkelgrau 09	C02 grey
havanna 36	C60 umbra
kaschmirgrau 35	C2044 sand grey 18
lichtgrau 05	C77 silk grey
platingrau 33	C72 flannel grey
silbergrau 02	C787 flash grey
X-Tec	OTTOSEAL® S 100
achatgrau 04	C94 silver-grey
anthrazit 10	C67 anthracite
bahamabeige 13	C84 pergamum
dunkelgrau 09	C02 grey
grau 06	C56 concrete grey
jasmin 12	C69 joint white
lichtgrau 05	C77 silk grey
platingrau 33	C72 flannel grey
silbergrau 02	C787 flash grey



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 110

The premium neutral silicone

Codex (ehem. Uzin)

Index: 06.12.2017

Brillant Color Xtra	OTTOSEAL® S 110	
achatgrau 04	C94	silver-grey
anthrazit 10	C03	dark grey
bahamabeige 13	C84	pergamum
brillantweiß 01	C01	white
choco 17	C05	brown
dunkelgrau 09	C20	fair grey
Brillant Cristal	OTTOSEAL® S 110	
anthrazit 10	C03	dark grey
bahamabeige 13	C84	pergamum
brillantweiß 01	C01	white
choco 17	C05	brown
dunkelgrau 09	C20	fair grey
lichtgrau 05	C43	manhattan
Brillant Flex Basic	OTTOSEAL® S 110	
anthrazit 10	C03	dark grey
Brillant Objekt	OTTOSEAL® S 110	
lichtgrau 05	C43	manhattan
X-Star	OTTOSEAL® S 110	
achatgrau 04	C94	silver-grey
dunkelgrau 09	C20	fair grey
lichtgrau 05	C43	manhattan
X-Tec	OTTOSEAL® S 110	
achatgrau 04	C94	silver-grey
anthrazit 10	C20	fair grey
bahamabeige 13	C84	pergamum
dunkelgrau 09	C20	fair grey
lichtgrau 05	C43	manhattan

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Codex (ehem. Uzin)

Index: 06.12.2017

Brillant Cristal	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
anthrazit 10	C137	anthracite grey
bahamabeige 13	C1110	sandstone-beige
brillantweiß 01	C01	white
choco 17	C05	brown
dunkelgrau 09	C1109	night-grey
jasmin 12	C08	jasmin
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey
silbergrau 02	C787	flash grey
Brillant Flex	OTTOSEAL® S 70	
grau 06	C56	concrete grey
Brillant Flex Basic	OTTOSEAL® S 70	
anthrazit 10	C1109	night-grey
grau 06	C56	concrete grey
X-Star	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
anthrazit 10	C137	anthracite grey
dunkelgrau 09	C1109	night-grey
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey
silbergrau 02	C787	flash grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Codex (ehem. Uzin)

Index: 06.12.2017

Brillant Cristal	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
bahamabeige 13	C1110	sandstone-beige
brillantweiß 01	C01	white
choco 17	C05	brown
dunkelgrau 09	C1109	night-grey
jasmin 12	C08	jasmin
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey
Brillant Flex	OTTOSEAL® S 80	
grau 06	C56	concrete grey
Brillant Flex Basic	OTTOSEAL® S 80	
anthrazit 10	C1109	night-grey
grau 06	C56	concrete grey
X-Star	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
dunkelgrau 09	C1109	night-grey
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives