

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Codex (ehem. Uzin)

Index: 20.12.2019

Brillant Color Xtra	OTTOSEAL® S 100	
achatgrau 04	C94	silver-grey
anthrazit 10	C67	anthracite
bahamabeige 13	C84	pergamum
beton 38	C02	grey
brillantweiß 01	C51	old white
caramel 15	C22	anemone
choco 17	C05	brown
dunkelgrau 09	C02	grey
graphit 39	C67	anthracite
jasmin 12	C69	joint white
lichtblau 22	C753	crocus-blue
manhattan 03	C86	pale grey
mint 26	C695	aegean blue
pergamon 11	C84	pergamum
sandbeige 14	C82	red-beige
silbergrau 02	C787	flash grey
stella 18	C23	magnolia
Brillant Cristal	OTTOSEAL® S 100	
achatgrau 04	C94	silver-grey
anthrazit 10	C67	anthracite
bahamabeige 13	C84	pergamum
beton 38	C02	grey
brillantweiß 01	C51	old white
choco 17	C05	brown
dunkelgrau 09	C02	grey
graphit 39	C67	anthracite
havanna 36	C60	umbra
jasmin 12	C69	joint white
jurabeige 41	C6778	silk
kaschmirgrau 35	C2044	sand grey 18
lichtgrau 05	C77	silk grey
mocca 42	C6777	fango
platingrau 33	C43	manhattan
sahara 40	C1106	beach-beige
sandbeige 14	C82	red-beige
silbergrau 02	C45	chinchilla
Brillant Flex	OTTOSEAL® S 100	
grau 06	C56	concrete grey
Brillant Flex Basic	OTTOSEAL® S 100	
anthrazit 10	C67	anthracite
grau 06	C56	concrete grey
zementgrau 08	C2044	sand grey 18

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Codex (ehem. Uzin)

Index: 20.12.2019

Brillant Objekt	OTTOSEAL® S 100	
lichtgrau 05	C77	silk grey
Brillant XL	OTTOSEAL® S 100	
zementgrau 08	C2044	sand grey 18
Epo Tix	OTTOSEAL® S 100	
silbergrau 02	C45	chinchilla
zementgrau 08	C2044	sand grey 18
Resist	OTTOSEAL® S 100	
zementgrau	C2044	sand grey 18
X-Fusion	OTTOSEAL® S 100	
achatgrau 04	C94	silver-grey
anthrazit 10	C67	anthracite
bahamabeige 13	C84	pergamum
beton 38	C02	grey
choco 17	C05	brown
cremeweiß 37	C51	old white
graphit 39	C67	anthracite
havanna 36	C60	umbra
jasmin 12	C69	joint white
jurabeige 41	C6778	silk
kaschmirgrau 35	C2044	sand grey 18
manhattan 03	C86	pale grey
mocca 42	C6777	fango
platingrau 33	C43	manhattan
sahara 40	C103	sahara
sandbeige 14	C82	red-beige
schwarz 34	C5176	velvet black
silbergrau 02	C45	chinchilla
X-Star	OTTOSEAL® S 100	
achatgrau 04	C94	silver-grey
anthrazit 10	C67	anthracite
dunkelgrau 09	C02	grey
havanna 36	C60	umbra
kaschmirgrau 35	C2044	sand grey 18
lichtgrau 05	C77	silk grey
platingrau 33	C72	flannel grey
silbergrau 02	C787	flash grey



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Codex (ehem. Uzin)

Index: 20.12.2019

X-Tec	OTTOSEAL® S 100
achatgrau 04	C94 silver-grey
anthrazit 10	C67 anthracite
bahamabeige 13	C84 pergamum
beton 38	C02 grey
dunkelgrau 09	C02 grey
graphit 39	C67 anthracite
grau 06	C56 concrete grey
jasmin 12	C69 joint white
kaschirgrau 35	C2044 sand grey 18
lichtgrau 05	C77 silk grey
platingrau 33	C43 manhattan
silbergrau 02	C787 flash grey

Colour recommendations

OTTOSEAL® S 110

The premium neutral silicone

Codex (ehem. Uzin)

Index: 20.12.2019

Brillant Color Xtra	OTTOSEAL® S 110
achatgrau 04	C94 silver-grey
bahamabeige 13	C84 pergamum
beton 38	C20 fair grey
brillantweiß 01	C84 pergamum
caramel 15	C76 beech
choco 17	C05 brown
dunkelgrau 09	C20 fair grey
jasmin 12	C1216 jasmin
pergamon 11	C84 pergamum
silbergrau 02	C94 silver-grey
Brillant Cristal	OTTOSEAL® S 110
achatgrau 04	C94 silver-grey
anthrazit 10	C03 dark grey
bahamabeige 13	C84 pergamum
beton 38	C20 fair grey
brillantweiß 01	C84 pergamum
choco 17	C05 brown
dunkelgrau 09	C20 fair grey
jasmin 12	C1216 jasmin
lichtgrau 05	C43 manhattan
silbergrau 02	C94 silver-grey
Brillant Flex Basic	OTTOSEAL® S 110
anthrazit 10	C03 dark grey
Brillant Objekt	OTTOSEAL® S 110
lichtgrau 05	C43 manhattan
Epo Tix	OTTOSEAL® S 110
silbergrau 02	C94 silver-grey
X-Fusion	OTTOSEAL® S 110
achatgrau 04	C94 silver-grey
bahamabeige 13	C84 pergamum
beton 38	C20 fair grey
choco 17	C05 brown
cremeweiß 37	C9001 RAL 9001
jasmin 12	C1216 jasmin
schwarz 34	C155 anthracite
silbergrau 02	C94 silver-grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 110

The premium neutral silicone

Codex (ehem. Uzin)

Index: 20.12.2019

X-Star	OTTOSEAL® S 110	
achatgrau 04	C94	silver-grey
dunkelgrau 09	C20	fair grey
lichtgrau 05	C43	manhattan
X-Tec	OTTOSEAL® S 110	
achatgrau 04	C94	silver-grey
anthrazit 10	C03	dark grey
bahamabeige 13	C84	pergamum
beton 38	C20	fair grey
dunkelgrau 09	C20	fair grey
lichtgrau 05	C43	manhattan
silbergrau 02	C94	silver-grey

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Codex (ehem. Uzin)

Index: 20.12.2019

Brillant Color Xtra	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
anthrazit 10	C137	anthracite grey
beton 38	C1109	night-grey
brillantweiß 01	C38	light-grey
choco 17	C05	brown
graphit 39	C137	anthracite grey
jasmin 12	C08	jasmin
manhattan 03	C230	fog
pergamon 11	C84	pergamum
sandbeige 14	C82	red-beige
silbergrau 02	C230	fog
Brillant Cristal	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
anthrazit 10	C137	anthracite grey
bahamabeige 13	C1110	sandstone-beige
beton 38	C1109	night-grey
brillantweiß 01	C38	light-grey
choco 17	C05	brown
dunkelgrau 09	C1109	night-grey
graphit 39	C137	anthracite grey
jasmin 12	C08	jasmin
jurabeige 41	C10	bahamabeige
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey
sandbeige 14	C82	red-beige
silbergrau 02	C230	fog
Brillant Flex	OTTOSEAL® S 70	
grau 06	C56	concrete grey
Brillant Flex Basic	OTTOSEAL® S 70	
anthrazit 10	C1109	night-grey
grau 06	C56	concrete grey
Epo Tix	OTTOSEAL® S 70	
silbergrau 02	C230	fog

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Codex (ehem. Uzin)

Index: 20.12.2019

X-Fusion	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
anthrazit 10	C137	anthracite grey
bahamabeige 13	C1110	sandstone-beige
beton 38	C1109	night-grey
choco 17	C05	brown
cremeweiß 37	C38	light-grey
graphit 39	C137	anthracite grey
jasmin 12	C08	jasmin
jurabeige 41	C10	bahamabeige
manhattan 03	C230	fog
platingrau 33	C18	sanitary grey
sahara 40	C1110	sandstone-beige
sandbeige 14	C82	red-beige
schwarz 34	C04	black
silbergrau 02	C230	fog
X-Star	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
anthrazit 10	C137	anthracite grey
dunkelgrau 09	C1109	night-grey
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey
silbergrau 02	C787	flash grey
X-Tec	OTTOSEAL® S 70	
achatgrau 04	C1108	autumn-grey
beton 38	C1109	night-grey
graphit 39	C137	anthracite grey
lichtgrau 05	C43	manhattan
platingrau 33	C43	manhattan
silbergrau 02	C230	fog

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Codex (ehem. Uzin)

Index: 20.12.2019

Brillant Color Xtra	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
beton 38	C1109	night-grey
brillantweiß 01	C38	light-grey
graphit 39	C137	anthracite grey
jasmin 12	C08	jasmin
Brillant Cristal	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
bahamabeige 13	C1110	sandstone-beige
beton 38	C1109	night-grey
brillantweiß 01	C38	light-grey
dunkelgrau 09	C1109	night-grey
graphit 39	C137	anthracite grey
jasmin 12	C08	jasmin
jurabeige 41	C10	bahamabeige
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey
Brillant Flex	OTTOSEAL® S 80	
grau 06	C56	concrete grey
Brillant Flex Basic	OTTOSEAL® S 80	
anthrazit 10	C1109	night-grey
grau 06	C56	concrete grey
X-Fusion	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
beton 38	C1109	night-grey
cremeweiß 37	C38	light-grey
graphit 39	C137	anthracite grey
jasmin 12	C08	jasmin
jurabeige 41	C10	bahamabeige
platingrau 33	C18	sanitary grey
schwarz 34	C04	black
X-Star	OTTOSEAL® S 80	
anthrazit 10	C137	anthracite grey
dunkelgrau 09	C1109	night-grey
lichtgrau 05	C43	manhattan
platingrau 33	C18	sanitary grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Codex (ehem. Uzin)

Index: 20.12.2019

X-Tec	OTTOSEAL® S 80
beton 38	C1109 night-grey
graphit 39	C137 anthracite grey
lichtgrau 05	C43 manhattan
platingrau 33	C43 manhattan

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives