

## Colour recommendations

### OTTOSEAL® S100

The premium bathroom silicone

### Parexlanko

Index: 17.11.2016

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S100</b>
Gris	C18 sanitary grey
Gris foncé	C43 manhattan
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S100</b>
Gris	C18 sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S100</b>
Blanc email	C116 snow-white
Gris	C961 morning-grey
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S100</b>
Beige	C08 jasmin
Gris	C43 manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S100</b>
Beige	C08 jasmin
Blanc email	C116 snow-white
Bleu	C42 sorrentoblue
Effet paillette or	C511 gold effect
Gris	C02 grey
Gris anthracite	C67 anthracite
Gris perle	C81 thistle-grey
Noir	C04 black
Rose	C23 magnolia
<b>Joints Extérieurs 547 PROLIJOINT RUSTIC</b>	<b>OTTOSEAL® S100</b>
Beige	C10 bahamabeige
Pierre	C69 joint white
Rose	C23 magnolia
<b>Joints Résistant 550 PROLIJOINT RESIST</b>	<b>OTTOSEAL® S100</b>
Gris	C56 concrete grey
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S100</b>
Blanc	C116 snow-white
Gris	C56 concrete grey
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S100</b>
Beige	C55 natural
Blanc	C1170 old grey
Effet paillette or	C511 gold effect
Gris	C02 grey
Gris perle	C81 thistle-grey
Noir	C04 black

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.

## Colour recommendations

### OTTOSEAL® S130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

### Parexlanko

Index: 17.11.2016

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S130</b>
Gris	C18 sanitary grey
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S130</b>
Gris	C18 sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S130</b>
Blanc email	C116 snow-white
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S130</b>
Beige	C08 jasmin
Gris	C43 manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S130</b>
Beige	C08 jasmin
Blanc email	C116 snow-white
Noir	C67 anthracite
<b>Joints Résistant 550 PROLIJOINT RESIST</b>	<b>OTTOSEAL® S130</b>
Gris	C56 concrete grey
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S130</b>
Blanc	C116 snow-white
Gris	C56 concrete grey
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S130</b>
Noir	C67 anthracite



**Sealants • Adhesives**

## Colour recommendations

### OTTOSEAL® S140

The hotel and spa silicone with double protection against mould

### Parexlanko

Index: 17.11.2016

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S140</b>
Gris clair	C43 manhattan
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S140</b>
Gris	C18 sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S140</b>
Blanc email	C116 snow-white
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S140</b>
Gris clair	C43 manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S140</b>
Blanc email	C116 snow-white
Gris perle	C43 manhattan
Noir	C67 anthracite
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S140</b>
Blanc	C116 snow-white
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S140</b>
Gris	C02 grey
Gris perle	C43 manhattan
Noir	C67 anthracite

## Colour recommendations

### OTTOSEAL® S70

The premium natural stone silicone

### Parexlanko

Index: 17.11.2016

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S70</b>
Beige	C84 pergamum
Gris	C6111 matt sanitary grey
Gris clair	C43 manhattan
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S70</b>
Gris	C18 sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S70</b>
Blanc email	C01 white
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S70</b>
Beige	C08 jasmin
Gris clair	C43 manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S70</b>
Beige	C08 jasmin
Blanc email	C01 white
Effet paillette argent	C1391 graphite black
Gris	C1109 night-grey
Gris anthracite	C137 anthracite grey
Gris perle	C43 manhattan
Noir	C67 anthracite
<b>Joints Extérieurs 547 PROLIJOINT RUSTIC</b>	<b>OTTOSEAL® S70</b>
Gris	C110 joint-grey structure
<b>Joints Résistant 550 PROLIJOINT RESIST</b>	<b>OTTOSEAL® S70</b>
Gris	C56 concrete grey
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S70</b>
Gris	C56 concrete grey
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S70</b>
Beige	C1110 sandstone-beige
Blanc	C38 light-grey
Gris	C1109 night-grey
Gris perle	C43 manhattan
Noir	C67 anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



**Sealants • Adhesives**

# Colour recommendations

## OTTOSEAL® S80

The premium alkoxy natural stone silicone

### Parexlanko

Index: 17.11.2016

<b>542 PROLIJOINT SOL</b>	<b>OTTOSEAL® S80</b>
Beige	C84 pergamum
Gris clair	C43 manhattan
<b>548 PROLIPOX S</b>	<b>OTTOSEAL® S80</b>
Gris	S18 sanitary grey
<b>Joints CLASSIQUES Mur 543 PROLIJOINT MUR</b>	<b>OTTOSEAL® S80</b>
Blanc email	C01 white
<b>Joints CLASSIQUES Sol 5040 PROLIJOINT PERFECT</b>	<b>OTTOSEAL® S80</b>
Beige	C08 jasmin
Gris clair	C43 manhattan
<b>Joints DECO Mur&amp;Sol 5046 ELIT</b>	<b>OTTOSEAL® S80</b>
Beige	C08 jasmin
Blanc email	C01 white
Gris anthracite	C137 anthracite grey
Gris perle	C43 manhattan
Noir	C67 anthracite
<b>Joints Résistant 550 PROLIJOINT RESIST</b>	<b>OTTOSEAL® S80</b>
Gris	S56 concrete grey
<b>Joints Souples 545 PROLIJOINT SOUPLE</b>	<b>OTTOSEAL® S80</b>
Gris	S56 concrete grey
<b>Joints TECHNIQUES 549 PROLIPOX M-S</b>	<b>OTTOSEAL® S80</b>
Beige	C1110 sandstone-beige
Blanc	C38 light-grey
Gris	C1109 night-grey
Gris perle	C43 manhattan
Noir	C67 anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.