

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

PCI

Index: 11.08.2020

Durafug NT	OTTOSEAL® S 100
Nr. 16 silbergrau	C230 fog
Nr. 20 weiß	C01 white
Nr. 22 sandgrau	C18 sanitary grey
Nr. 31 zementgrau	C706 cement-grey no. 31
FT Fugenbreit	OTTOSEAL® S 100
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 31 zementgrau	C706 cement-grey no. 31
Nr. 47 anthrazit	C67 anthracite
FT Fugengrau	OTTOSEAL® S 100
Nr. 16 silbergrau	C230 fog
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 23 lichtgrau	C45 chinchilla
FT Fugenweiß	OTTOSEAL® S 100
Nr. 20 weiß	C01 white
FT Megafug	OTTOSEAL® S 100
Nr. 16 silbergrau	C230 fog
Nr. 19 basalt	C1170 old grey
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 22 sandgrau	C18 sanitary grey
Nr. 31 zementgrau	C706 cement-grey no. 31
Flexfug	OTTOSEAL® S 100
Nr. 18 manhattan	C230 fog
Nr. 19 basalt	C1170 old grey
Nr. 22 sandgrau	C18 sanitary grey

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

PCI

Index: 11.08.2020

Nanofug	OTTOSEAL® S 100
Nr. 02 bahamabeige	C1106 beach-beige
Nr. 03 caramel	C22 anemone
Nr. 05 mittelbraun	C1104 almond-brown
Nr. 11 jasmin	C1107 vanilla-beige
Nr. 12 anemone	C08 jasmin
Nr. 16 silbergrau	C230 fog
Nr. 18 manhattan	C230 fog
Nr. 19 basalt	C1170 old grey
Nr. 20 weiß	C01 white
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 23 lichtgrau	C45 chinchilla
Nr. 31 zementgrau	C706 cement-grey no. 31
Nr. 40 schwarz	C5176 velvet black
Nr. 43 pergamon	C1107 vanilla-beige
Nr. 44 topas	C84 pergamum
Nr. 47 anthrazit	C67 anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 100

The premium bathroom silicone

PCI

Index: 11.08.2020

Nanfug Premium	OTTOSEAL® S 100
Nr. 02 bahamabeige	C1106 beach-beige
Nr. 03 caramel	C22 anemone
Nr. 05 mittelbraun	C7117 intense brown
Nr. 11 jasmin	C1107 vanilla-beige
Nr. 12 anemone	C08 jasmin
Nr. 16 silbergrau	C230 fog
Nr. 18 manhattan	C230 fog
Nr. 19 basalt	C1170 old grey
Nr. 20 weiß	C01 white
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 22 sandgrau	C18 sanitary grey
Nr. 23 lichtgrau	C45 chinchilla
Nr. 27 jurabeige	C103 sahara
Nr. 31 zementgrau	C706 cement-grey no. 31
Nr. 40 schwarz	C5176 velvet black
Nr. 41 dunkelbraun	C21 bali
Nr. 43 pergamon	C1107 vanilla-beige
Nr. 44 topas	C45 chinchilla
Nr. 47 anthrazit	C67 anthracite
Nr. 53 ocker	C22 anemone
Nr. 54 ahorn	C10 bahamabeige
Nr. 55 nussbraun	C6778 silk
Nr. 56 terrabraun	C60 umbra
Nr. 57 rehbraun	C1167 tobacco brown
Nr. 58 mahagoni	C6777 fango
Nr. 59 mokka	C6777 fango
Nr. 60 schwarzbraun	C6776 volcano sand
Nr. 61 schiefergrau	C5176 velvet black

## Colour recommendations

### OTTOSEAL® S 105

The standard acetate silicone

PCI

Index: 11.08.2020

Durafug NT	OTTOSEAL® S 105
Nr. 16 silbergrau	C230 fog
Nr. 20 weiß	C01 white
Nr. 22 sandgrau	C18 sanitary grey
Nr. 31 zementgrau	C706 cement-grey no. 31
FT Fugenbreit	OTTOSEAL® S 105
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 31 zementgrau	C706 cement-grey no. 31
Nr. 47 anthrazit	C67 anthracite
FT Fugengrau	OTTOSEAL® S 105
Nr. 16 silbergrau	C230 fog
Nr. 21 hellgrau	C501 fair grey no. 21
FT Fugenweiß	OTTOSEAL® S 105
Nr. 20 weiß	C01 white
FT Megafug	OTTOSEAL® S 105
Nr. 16 silbergrau	C230 fog
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 22 sandgrau	C18 sanitary grey
Nr. 31 zementgrau	C706 cement-grey no. 31
Flexfug	OTTOSEAL® S 105
Nr. 18 manhattan	C230 fog
Nr. 22 sandgrau	C18 sanitary grey
Nanfug	OTTOSEAL® S 105
Nr. 02 bahamabeige	C1106 beach-beige
Nr. 12 anemone	C08 jasmin
Nr. 16 silbergrau	C230 fog
Nr. 18 manhattan	C230 fog
Nr. 20 weiß	C01 white
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 31 zementgrau	C706 cement-grey no. 31
Nr. 44 topas	C84 pergamon
Nr. 47 anthrazit	C67 anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

## Colour recommendations

### OTTOSEAL® S 105

The standard acetate silicone

**PCI**

Index: 11.08.2020

Nanofug Premium	OTTOSEAL® S 105
Nr. 12 anemone	C08 jasmin
Nr. 16 silbergrau	C230 fog
Nr. 18 manhattan	C230 fog
Nr. 20 weiß	C01 white
Nr. 21 hellgrau	C501 fair grey no. 21
Nr. 22 sandgrau	C18 sanitary grey
Nr. 31 zementgrau	C706 cement-grey no. 31
Nr. 47 anthrazit	C67 anthracite
Nr. 54 ahorn	C10 bahamabeige

## Colour recommendations

### OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

**PCI**

Index: 11.08.2020

Durafug NT	OTTOSEAL® S 130
Nr. 20 weiß	C116 snow-white
Nr. 22 sandgrau	C18 sanitary grey
FT Megafug	OTTOSEAL® S 130
Nr. 22 sandgrau	C18 sanitary grey
Flexfug	OTTOSEAL® S 130
Nr. 22 sandgrau	C18 sanitary grey
Nanofug	OTTOSEAL® S 130
Nr. 20 weiß	C116 snow-white
Nr. 40 schwarz	C04 black
Nanofug Premium	OTTOSEAL® S 130
Nr. 12 anemone	C08 jasmin
Nr. 20 weiß	C116 snow-white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



**Sealants • Adhesives**

## Colour recommendations

### OTTOSEAL® S 140

The hotel and spa silicone with double protection against mould

**PCI**

Index: 11.08.2020

Carrafug	OTTOSEAL® S 140
Nr. 22 sandgrau	C18 sanitary grey
Nr. 25 carraraweiß	C116 snow-white
Nr. 47 anthrazit	C67 anthracite
Durafug NT	OTTOSEAL® S 140
Nr. 22 sandgrau	C18 sanitary grey

## Colour recommendations

### OTTOSEAL® S 70

The premium natural stone silicone

**PCI**

Index: 11.08.2020

Carrafug	OTTOSEAL® S 70
Nr. 22 sandgrau	C18 sanitary grey
Nr. 25 carraraweiß	C01 white
Nr. 26 perlgrau	C80 pearl-grey
Nr. 27 jurabeige	C1110 sandstone-beige
Nr. 47 anthrazit	C137 anthracite grey
Nanofug Premium	OTTOSEAL® S 70
Nr. 02 bahamabeige	C1110 sandstone-beige
Nr. 03 caramel	C82 red-beige
Nr. 11 jasmin	C08 jasmin
Nr. 12 anemone	C1110 sandstone-beige
Nr. 16 silbergrau	C230 fog
Nr. 18 manhattan	C230 fog
Nr. 19 basalt	C1109 night-grey
Nr. 20 weiß	C01 white
Nr. 22 sandgrau	C18 sanitary grey
Nr. 23 lichtgrau	C38 light-grey
Nr. 40 schwarz	C67 anthracite
Nr. 44 topas	C38 light-grey
Nr. 47 anthrazit	C137 anthracite grey
Nr. 53 ocker	C82 red-beige
Nr. 54 ahorn	C10 bahamabeige
Nr. 61 schiefergrau	C67 anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



**Sealants • Adhesives**

# Colour recommendations

## OTTOSEAL® S 80

The premium alkoxy natural stone silicone

PCI

Index: 11.08.2020

<b>Carrafug</b>	<b>OTTOSEAL® S 80</b>	
Nr. 22 sandgrau	C18	sanitary grey
Nr. 25 carraraweiß	C01	white
Nr. 27 jurabeige	C1110	sandstone-beige
Nr. 47 anthrazit	C137	anthracite grey
<b>Nanofug Premium</b>	<b>OTTOSEAL® S 80</b>	
Nr. 11 jasmin	C08	jasmin
Nr. 19 basalt	C1109	night-grey
Nr. 20 weiß	C01	white
Nr. 22 sandgrau	C18	sanitary grey
Nr. 23 lichtgrau	C38	light-grey
Nr. 40 schwarz	C67	anthracite
Nr. 44 topas	C38	light-grey
Nr. 47 anthrazit	C137	anthracite grey
Nr. 54 ahorn	C10	bahamabeige
Nr. 61 schiefergrau	C67	anthracite

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



**Sealants • Adhesives**