

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Sopro Deutschland

Index: 25.10.2018

Brillant Perifuge	OTTOSEAL® S 100
anthrazit 66	C67 anthracite
bahamabeige 34	C84 pergamum
balibraun 59	C21 bali
betongrau 14	C02 grey
braun 52	C1167 tobacco brown
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C706 cement-grey no. 31
weiß 10	C01 white
DesignFuge Flex DF 10	OTTOSEAL® S 100
anthrazit 66	C67 anthracite
bahamabeige 34	C84 pergamum
balibraun 59	C21 bali
basalt 64	C67 anthracite
beige 32	C1106 beach-beige
betongrau 14	C02 grey
braun 52	C1167 tobacco brown
caramel 38	C82 red-beige
ebenhholz 62	C6776 volcano sand
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
kastanie 50	C1082 chestnut
mahagoni 55	C07 deer-brown
manhattan 77	C86 pale grey
pergamon 27	C1107 vanilla-beige
sahara 40	C09 caramel
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
signalrot 91	C35 fiery red
silbergrau 17	C910 silver-grey 17
steingrau 22	C706 cement-grey no. 31
tiefblau 98	C42 sorrentoblue
weinrot 92	C59 ruby
weiß 10	C01 white

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Sopro Deutschland

Index: 25.10.2018

FlexFuge FL	OTTOSEAL® S 100
anthrazit 66	C67 anthracite
basalt 64	C67 anthracite
beige 32	C1106 beach-beige
betongrau 14	C02 grey
grau 15	C776 grey 15
jurabeige 33	C10 bahamabeige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C706 cement-grey no. 31
FlexFuge FL plus	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
balibraun 59	C21 bali
basalt 64	C67 anthracite
betongrau 14	C1168 fair-graphite
grau 15	C776 grey 15
jurabeige 33	C10 bahamabeige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
steingrau 22	C706 cement-grey no. 31
FlexFuge floor	OTTOSEAL® S 100
anthrazit 66	C67 anthracite
basalt 64	C67 anthracite
betongrau 14	C02 grey
grau 15	C776 grey 15
MeisterFuge breit	OTTOSEAL® S 100
betongrau 14	C1168 fair-graphite
grau 15	C02 grey
MeisterFuge schmal	OTTOSEAL® S 100
grau 15	C808 asphalt grey
hellgrau 16	C787 flash grey
silbergrau 17	C910 silver-grey 17
weiß 10	C01 white
MeisterFuge schmal + breit	OTTOSEAL® S 100
betongrau 14	C02 grey
grau 15	C776 grey 15

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 100

The premium bathroom silicone

Sopro Deutschland

Index: 25.10.2018

Saphir 5 PerlFuge	OTTOSEAL® S 100
anemone 35	C103 sahara
anthrazit 66	C67 anthracite
bahamabeige 34	C84 pergamum
balibraun 59	C21 bali
beige 32	C1106 beach-beige
betongrau 14	C02 grey
grau 15	C776 grey 15
hellbeige 29	C84 pergamum
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
manhattan 77	C86 pale grey
pergamon 27	C1107 vanilla-beige
sandgrau 18	C2044 sand grey 18
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
weiß 10	C01 white
TitecFuge breit	OTTOSEAL® S 100
betongrau 14	C1168 fair-graphite
grau 15	C776 grey 15
TitecFuge plus	OTTOSEAL® S 100
anthrazit 66	C808 asphalt grey
grau 15	C776 grey 15
schwarz 90	C04 black
silbergrau 17	C910 silver-grey 17
weiß 10	C01 white

Colour recommendations

OTTOSEAL® S 130

The alkoxy bathroom silicone with ecologically harmless Fungitect® Silver Technology

Sopro Deutschland

Index: 25.10.2018

Brillant PerlFuge	OTTOSEAL® S 130
hellbeige 29	C08 jasmin
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
schwarz 90	C04 black
DesignFuge Flex DF 10	OTTOSEAL® S 130
hellbeige 29	C08 jasmin
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
pergamon 27	C116 snow-white
schwarz 90	C04 black
FlexFuge FL	OTTOSEAL® S 130
jurabeige 33	C10 bahamabeige
schwarz 90	C04 black
FlexFuge FL plus	OTTOSEAL® S 130
jurabeige 33	C10 bahamabeige
schwarz 90	C04 black
Saphir 5 PerlFuge	OTTOSEAL® S 130
hellbeige 29	C08 jasmin
jasmin 28	C08 jasmin
pergamon 27	C116 snow-white
schwarz 90	C04 black
TitecFuge plus	OTTOSEAL® S 130
schwarz 90	C04 black

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 140

The hotel and spa silicone with double protection against mould

Sopro Deutschland

Index: 25.10.2018

Brillant PerlFuge	OTTOSEAL® S 140
steingrau 22	C18 sanitary grey
DesignFuge Flex DF 10	OTTOSEAL® S 140
manhattan 77	C43 manhattan
pergamon 27	C116 snow-white
steingrau 22	C18 sanitary grey
FlexFuge FL	OTTOSEAL® S 140
steingrau 22	C18 sanitary grey
FlexFuge FL plus	OTTOSEAL® S 140
steingrau 22	C18 sanitary grey
Saphir 5 PerlFuge	OTTOSEAL® S 140
manhattan 77	C43 manhattan
pergamon 27	C116 snow-white

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Sopro Deutschland

Index: 25.10.2018

Brillant PerlFuge	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
bahamabeige 34	C84 pergamum
hellbeige 29	C08 jasmin
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
schwarz 90	C04 black
steingrau 22	C18 sanitary grey
weiß 10	C01 white
DesignFuge Flex DF 10	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
bahamabeige 34	C84 pergamum
basalt 64	C137 anthracite grey
caramel 38	C82 red-beige
hellbeige 29	C08 jasmin
hellgrau 16	C787 flash grey
jasmin 28	C08 jasmin
jurabeige 33	C10 bahamabeige
manhattan 77	C43 manhattan
schwarz 90	C04 black
steingrau 22	C18 sanitary grey
weiß 10	C01 white
FlexFuge FL	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
basalt 64	C137 anthracite grey
jurabeige 33	C10 bahamabeige
schwarz 90	C04 black
steingrau 22	C18 sanitary grey
FlexFuge FL plus	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
basalt 64	C137 anthracite grey
jurabeige 33	C10 bahamabeige
schwarz 90	C04 black
steingrau 22	C18 sanitary grey
FlexFuge floor	OTTOSEAL® S 70
anthrazit 66	C137 anthracite grey
basalt 64	C137 anthracite grey
MeisterFuge schmal	OTTOSEAL® S 70
hellgrau 16	C787 flash grey
weiß 10	C01 white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 70

The premium natural stone silicone

Sopro Deutschland

Index: 25.10.2018

Saphir 5 PerlFuge	OTTOSEAL® S 70	
anthrazit 66	C137	anthracite grey
bahamabeige 34	C84	pergamum
hellbeige 29	C08	jasmin
hellgrau 16	C787	flash grey
jasmin 28	C08	jasmin
manhattan 77	C43	manhattan
schwarz 90	C04	black
weiß 10	C01	white
TitecFuge plus	OTTOSEAL® S 70	
anthrazit 66	C137	anthracite grey
schwarz 90	C04	black
weiß 10	C01	white

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Sopro Deutschland

Index: 25.10.2018

Brillant PerlFuge	OTTOSEAL® S 80	
anthrazit 66	C137	anthracite grey
bahamabeige 34	C84	pergamum
hellbeige 29	C08	jasmin
jasmin 28	C08	jasmin
jurabeige 33	C10	bahamabeige
schwarz 90	C04	black
steingrau 22	C18	sanitary grey
weiß 10	C01	white
DesignFuge Flex DF 10	OTTOSEAL® S 80	
anthrazit 66	C137	anthracite grey
bahamabeige 34	C84	pergamum
basalt 64	C137	anthracite grey
caramel 38	C82	red-beige
hellbeige 29	C08	jasmin
jasmin 28	C08	jasmin
jurabeige 33	C10	bahamabeige
manhattan 77	C43	manhattan
schwarz 90	C04	black
steingrau 22	C18	sanitary grey
weiß 10	C01	white
FlexFuge FL	OTTOSEAL® S 80	
anthrazit 66	C137	anthracite grey
basalt 64	C137	anthracite grey
jurabeige 33	C10	bahamabeige
schwarz 90	C04	black
steingrau 22	C18	sanitary grey
FlexFuge FL plus	OTTOSEAL® S 80	
anthrazit 66	C137	anthracite grey
basalt 64	C137	anthracite grey
jurabeige 33	C10	bahamabeige
schwarz 90	C04	black
steingrau 22	C18	sanitary grey
FlexFuge floor	OTTOSEAL® S 80	
anthrazit 66	C137	anthracite grey
basalt 64	C137	anthracite grey
MeisterFuge schmal	OTTOSEAL® S 80	
weiß 10	C01	white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 80

The premium alkoxy natural stone silicone

Sopro Deutschland

Index: 25.10.2018

Saphir 5 PerlFuge	OTTOSEAL® S 80	
anthrazit 66	C137	anthracite grey
bahamabeige 34	C84	pergamum
hellbeige 29	C08	jasmin
jasmin 28	C08	jasmin
manhattan 77	C43	manhattan
schwarz 90	C04	black
weiß 10	C01	white
TitecFuge plus	OTTOSEAL® S 80	
anthrazit 66	C137	anthracite grey
schwarz 90	C04	black
weiß 10	C01	white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives