

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

Contract Plus	OTTOSEAL® S 51
Beige 014	C10 bahamabeige
Black 004	C04 black
Cold Sand 001	C7184 creme-white
Dark Grey 005	C62 agate grey
Dark Warm Grey 003	C62 agate grey
Gold Brown 013	C1667 taupe
Grey 006	C79 stone grey
Light Cold Grey 009	C1651 signal white
Light Grey 007	C787 flash grey
Orange 019	C1044 melon
Warm Grey 002	C979 sandstone grey
White 008	C787 flash grey
Yellow 020	C5128 pine
Etrusco xf2	OTTOSEAL® S 51
Beige 002	C979 sandstone grey
Black 098	C04 black
Red 041	C1066 tomato
Red Berlin 094	C1131 oxide-red
Granit Multisafe	OTTOSEAL® S 51
Granit Beige 743	C1043 cream beige
Granit Grey 741	C1662 pearl-grey
Granit Grey Beige 745	C979 sandstone grey
Granit Grey Brown 746	C79 stone grey
Granit Grey Dark 383	C62 agate grey
Granit Grey White 742	C787 flash grey
Granit Soft Kiwi 750	C7699 lime green
Granit Safe.T	OTTOSEAL® S 51
Granit Beige 702	C1043 cream beige
Granit Black 700	C04 black
Granit Dark Blue 696	C964 blue-grey
Granit Grey 697	C81 thistle-grey
Granit Light Beige 691	C103 sahara
Granit Yellow 703	C1056 pastel yellow
Granit Yellow Beige 692	C1043 cream beige
Granit Yellow Green 705	C7699 lime green
Granit Yellow Orange 690	C1053 clay
Linoleum xf2 Conductive	OTTOSEAL® S 51
Veneto Dark Grey 808	C67 anthracite

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

Linosport xf2	OTTOSEAL® S 51
Absinthe 695	C7699 lime green
Carmine 645	C1066 tomato
Grey 793	C979 sandstone grey
Horizon 663	C1116 violet
Sisal 611	C103 sahara
Slate 674	C04 black
Terracotta 641	C1066 tomato
Ominisports Compact Speed Training	OTTOSEAL® S 51
Uni Beech 010	C04 black
Ominisports Reference, Exel, Pureplay	OTTOSEAL® S 51
Esquisse Dark Orange 003	C1129 orangina
Esquisse Light Green 001	C7699 lime green
Esquisse Sky Blue 002	C964 blue-grey
Uni Black 010	C04 black
Optima Multisafe	OTTOSEAL® S 51
Optima Black 845	C04 black
Optima Bright 863	C1044 melon
Optima Green 861	C7699 lime green
Optima Light Beige 873	C79 stone grey
Optima Red Blue 848	C964 blue-grey
Primo SD	OTTOSEAL® S 51
Dark Cool Grey 563	C67 anthracite
Dark Warm Beige 566	C10 bahamabeige
Light Cool Beige 564	C1670 cloud grey
Medium Blue 569	C964 blue-grey
Medium Pure Grey 561	C787 flash grey
Primo Safe.T	OTTOSEAL® S 51
Dark Cool Grey 795	C67 anthracite
Light Blue 805	C1116 violet
Light Pure Grey 790	C1670 cloud grey
Light Warm Grey 793	C1662 pearl-grey
Lilaic 256	C958 brilliant blue
Medium Cool Beige 797	C103 sahara
Medium Dark Pure Grey 792	C1172 titan grey
Protect Wall Abstract 2mm	OTTOSEAL® S 51
Green 016	C7699 lime green
Light Grey 009	C1670 cloud grey
Orange 015	C1044 melon

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

Safetred Spectrum	OTTOSEAL® S 51
Denim 855	C964 blue-grey
Olive 840	C1112 patina green
Onyx 895	C04 black
Sepia 820	C1043 cream beige
Shale 805	C62 agate grey
Silver 800	C787 flash grey
Safetred Universal	OTTOSEAL® S 51
Constellation 190	C964 blue-grey
Draco 160	C1063 brown-red
Jupiter 170	C10 bahamabeige
Mercury 180	C62 agate grey
Moon 210	C979 sandstone grey
Neutron 300	C1008 pastel green
Orion 140	C17 cherry
Pegasus 280	C958 brilliant blue
Quasar 100	C04 black
Triton 310	C1042 aqua
Safetred Universal Plus	OTTOSEAL® S 51
Constellation	C964 blue-grey
Jupiter 170	C1043 cream beige
Neutron 300	C1008 pastel green
Pegasus 280	C958 brilliant blue
Quasar 100	C04 black
Standard Plus	OTTOSEAL® S 51
Standard Beige Grey 495	C1662 pearl-grey
Standard Black 500	C04 black
Standard Dark Blue 493	C964 blue-grey
Standard Grey 498	C1662 pearl-grey
Standard Light Beige 479	C103 sahara
Standard Light Beige Grey 494	C81 thistle-grey
Standard Light Grey 497	C787 flash grey
Standard Lime 922	C7699 lime green
Standard Orange 917	C1049 saffron yellow
Standard Pale Green 923	C1008 pastel green
Standard Red 488	C1066 tomato
Standard Royal Blue 920	C983 deep sea blue
Standard Sand Medium 914	C10 bahamabeige
Standard Stone Grey 924	C979 sandstone grey
Standard Yellow 485	C5128 pine
Style Elle xf2	OTTOSEAL® S 51
Abisso 309	C04 black

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

Style Emme xf2	OTTOSEAL® S 51
Abisso 200	C04 black
Cemento 202	C979 sandstone grey
Sabbia 208	C103 sahara
Uni 1,5 mm	OTTOSEAL® S 51
Graphic Lines Medium 019	C979 sandstone grey
Super White 021	C1646 pure white
Uni 2mm CR (Reinraum)	OTTOSEAL® S 51
Tisse Blue 010	C1116 violet
Tisse Brown 007	C49 dark brown
Tisse Dark Warm Grey 006	C979 sandstone grey
Tisse Light Green 003	C1651 signal white
Tisse Warm Grey 005	C1646 pure white
Veneto Essenza	OTTOSEAL® S 51
Charcoal 610	C04 black
Cork 679	C5128 pine
Graphite 906	C67 anthracite
Grey 793	C979 sandstone grey
Pebble 604	C81 thistle-grey
Slate 674	C04 black
Storm 702	C1662 pearl-grey
Veneto Sicuro xf2	OTTOSEAL® S 51
Charcoal 610	C04 black
Cork 673	C5128 pine
Graphite 906	C67 anthracite
Grey 793	C979 sandstone grey
Slate 674	C04 black
Storm 702	C1662 pearl-grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

Veneto xf2	OTTOSEAL® S 51
Absinthe 695	C7699 lime green
Aluminium 672	C62 agate grey
Amber 636	C1053 clay
Burlap 911	C103 sahara
Camel 616	C5128 pine
Caramel 635	C1043 cream beige
Carmine 645	C1066 tomato
Charcoal 610	C04 black
Chocolat 632	C49 dark brown
Citrine 631	C5128 pine
Cork 679	C5128 pine
Deep Blue 767	C983 deep sea blue
Durango 121	C1043 cream beige
Ecru 711	C103 sahara
Fog 703	C979 sandstone grey
Graphite 906	C67 anthracite
Grey 793	C979 sandstone grey
Ivory 601	C979 sandstone grey
Mint 651	C1039 petrol
Navy 688	C983 deep sea blue
Pewter 685	C1662 pearl-grey
Platinum 684	C979 sandstone grey
Slate 674	C04 black
Sunflower 628	C1056 pastel yellow
Taupe Dark 714	C49 dark brown
Travertine 603	C979 sandstone grey
Tumeric 919	C64 fair oak
Willow Green 756	C1008 pastel green
Vylon Plus	OTTOSEAL® S 51
Vylon Canary 597	C1043 cream beige
Vylon Champagne 595	C1043 cream beige
Vylon Charcoal 591	C67 anthracite
Vylon Grey White 583	C1670 cloud grey
Vylon Sand Dark 588	C1062 pale brown
Vylon Sand Medium 587	C10 bahamabeige
Vylon marina 584	C964 blue-grey
Wallgard (Wandschutzbelag)	OTTOSEAL® S 51
Coloured White White 220	C1646 pure white
Coloured White White Yellow 224	C1657 crema

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

iD Essential 30	OTTOSEAL® S 51
Aspen Oak Grey 013	C79 stone grey
Aspen Oak Natural 016	C1062 pale brown
Maple Natural 031	C1056 pastel yellow
Original Slate Black 006	C04 black
Primary Pine Dark Grey 019	C67 anthracite
Sandstone Black 004	C67 anthracite
Smoked Oak Black 000	C67 anthracite
Soft Oak Natural 008	C98 rustic oak
Venezia Beige 002	C979 sandstone grey
Venezia Grey 001	C62 agate grey
Walnut Light Brown 034	C98 rustic oak
iD Inspiration 40	OTTOSEAL® S 51
Brushed Pine Light Brown - Rustic 138	C1043 cream beige
Maple Studio - Soft Wood 143	C5128 pine
Polished Concrete Light Grey - Beton 073	C979 sandstone grey
Polished Concrete Medium Grey - Beton 079	C79 stone grey
iD Inspiration 55/70	OTTOSEAL® S 51
Elm Beige - Natural 114	C49 dark brown
Metal Frame Aluminium - Flat 080	C81 thistle-grey
Rustic Slate Black - Slate 069	C67 anthracite
Scandinavian Oak Light Grey - Weathered 1002	C1002 patina green
Terrazzo Anthracite - Beton 131	C67 anthracite
Terrazzo Grey Beton 129	C79 stone grey
Tisse Light - Texstyle 084	C79 stone grey
Vintage Zine Black - Flat 094	C67 anthracite
iD Inspiration Click 55	OTTOSEAL® S 51
Oxide Copper - Flat 118	C1062 pale brown
Terrazzo Anthracite - Beton 131	C67 anthracite
iD Inspiration Loose Lay	OTTOSEAL® S 51
Beach Wood Grey 010	C67 anthracite
Delicate Wood Black 013	C67 anthracite
iD Squire	OTTOSEAL® S 51
Dashes Blue 100	C958 brilliant blue
Dashes Green 104	C1112 patina green
Fabrics Grey 002	C79 stone grey
Fabrics Light Grey 001	C979 sandstone grey
Minimal Wood Grey 101	C79 stone grey
Patch work Light Grey 026	C79 stone grey
Patine Dark Anthracite 046	C67 anthracite
Patine Light Chocolate 040	C979 sandstone grey

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables lose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

iD Tilt	OTTOSEAL® S 51	
Concrete Beige 000	C979	sandstone grey
Concrete Grey 001	C62	agate grey
Granite Red 006	C1066	tomato
iQ Eminent	OTTOSEAL® S 51	
Eminent Black 130	C04	black
Eminent Brown Beige 142	C1043	cream beige
Eminent Dark Beige 139	C10	bahamabeige
Eminent Dark Blue 145	C983	deep sea blue
Eminent Dark Grey 129	C67	anthracite
Eminent Green 158	C7699	lime green
Eminent Grey Beige 156	C979	sandstone grey
Eminent Light Beige 137	C1646	pure white
Eminent Light Grey 127	C1662	pearl-grey
Eminent Light Grey 154	C1662	pearl-grey
Eminent Light Warm Grey 131	C979	sandstone grey
Eminent Lime Green 150	C7699	lime green
Eminent Medium Beige 138	C103	sahara
Eminent Medium Blue 144	C964	blue-grey
Eminent Medium Grey 128	C1172	titan grey
Eminent Medium Warm Grey 132	C79	stone grey
Eminent Red 152	C1066	tomato
Eminent White 125	C1651	signal white
Eminent White Grey 126	C1651	signal white
Eminent White Grey 153	C81	thistle-grey
Eminent Yellow 151	C1049	saffron yellow

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

iQ Granit	OTTOSEAL® S 51	
Granit Beige White 770	C1670	cloud grey
Granit Black 384	C04	black
Granit Blue 379	C964	blue-grey
Granit Brown 415	C49	dark brown
Granit Cobald 778	C983	deep sea blue
Granit Concrete Light Grey 446	C979	sandstone grey
Granit Concrete Medium Grey 447	C79	stone grey
Granit Dark Grey 383	C1662	pearl-grey
Granit Light Camel 410	C103	sahara
Granit Medium Beige 434	C1043	cream beige
Granit Medium Camel 409	C64	fair oak
Granit Medium Cool Beige 449	C1667	taupe
Granit Medium Violet 451	C7703	blackberry
Granit Micro Beige 358	C1043	cream beige
Granit Micro Dark Grey 351	C1172	titan grey
Granit Micro Grey 350	C1662	pearl-grey
Granit Micro Grey Beige 355	C79	stone grey
Granit Micro Ivory 356	C1646	pure white
Granit Micro Light Green 360	C1008	pastel green
Granit Micro Medium Camel 359	C64	fair oak
Granit Micro Medium Denim 361	C982	pastel blue
Granit Multicolour Grey 431	C1662	pearl-grey
Granit Neutral Light Grey 460	C787	flash grey
Granit Neutral Medium Grey 461	C79	stone grey
Granit Neutral Xtra Light Grey 404	C1670	cloud grey
Granit Orange 418	C1044	melon
Granit Red 411	C1066	tomato
Granit Red Brown 416	C1131	oxide-red
Granit Sea Punk 464	C1039	petrol
Granit Soft Kiwi 750	C7699	lime green
Granit Terracotta 375	C1056	pastel yellow
Granit Yellow Beige 428	C103	sahara
iQ Granit SD	OTTOSEAL® S 51	
Granit Black 713	C67	anthracite
Granit Brown Yellow 721	C5128	pine
Granit Grey 711	C81	thistle-grey
Granit Light Grey 710	C787	flash grey
Granit Light Yellow 715	C103	sahara
Granit White 719	C7184	creme-white
Granit Yellow Beige 716	C1043	cream beige

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

iQ Natural	OTTOSEAL® S 51
Natural Black 275	C04 black
Natural Blue 293	C964 blue-grey
Natural Blue Grey 173	C62 agate grey
Natural Brown 279	C49 dark brown
Natural Dark Grey 274	C67 anthracite
Natural Green 291	C1112 patina green
Natural Grey 273	C1172 titan grey
Natural Light Beige 276	C1670 cloud grey
Natural Light Blue Grey 172	C81 thistle-grey
Natural Light Grey Beige 280	C979 sandstone grey
Natural Light Yellow Grey 177	C979 sandstone grey
Natural Medium Beige 281	C1043 cream beige
Natural Orange 286	C1053 clay
Natural Orange Beige 283	C10 bahamabeige
Natural Red 285	C1066 tomato
Natural Terracotta 284	C85 doussie, pear tree
Natural White Grey 271	C787 flash grey
Natural Yellow 287	C5128 pine
Natural Yellow Beige 282	C1043 cream beige
Natural Yellow Grey 178	C79 stone grey
iQ One Classic Colors	OTTOSEAL® S 51
Blue 398	C964 blue-grey
Dark Blue 399	C983 deep sea blue
Green 238	C7699 lime green
Light Blue 397	C982 pastel blue
Light Green 599	C1008 pastel green
Orange 240	C1044 melon
Red 368	C1066 tomato
Yellow 239	C1049 saffron yellow
black 114	C04 black
iQ One Classic Neutrals	OTTOSEAL® S 51
Brown 217	C49 dark brown
Cold Beige 216	C1667 taupe
Cold Grey 112	C1662 pearl-grey
Cold White 115	C1670 cloud grey
Dark Cold Grey 113	C67 anthracite
Light Cold Beige 120	C1043 cream beige
Light Cold Grey 111	C81 thistle-grey
Light Warm Beige 219	C1646 pure white
Light Warm Grey 116	C1670 cloud grey
Sand 218	C103 sahara
White Grey 110	C1651 signal white

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

iQ One Misty	OTTOSEAL® S 51
Misty Beige 364	C979 sandstone grey
Misty Blue 367	C1671 blue grey
Misty Grey 363	C79 stone grey
Misty Light Sand 365	C1657 crema
iQ Optima	OTTOSEAL® S 51
Black 845	C04 black
Brown Beige 899	C1667 taupe
Brown Yellow 831	C1053 clay
Dark Green 252	C1112 patina green
Dark Red Blue 849	C983 deep sea blue
Grey Brown 898	C67 anthracite
Light Beige Grey 873	C79 stone grey
Light Gold Beige 247	C103 sahara
Light Sand Beige 246	C979 sandstone grey
Light Yellow 829	C103 sahara
Medium Blue 857	C964 blue-grey
Medium Grey 853	C62 agate grey
Medium Yellow 826	C1056 pastel yellow
Neutral Black	C67 anthracite
Neutral Grey 242	C62 agate grey
Orange 257	C1044 melon
Red 259	C1066 tomato
Soft Cool Grey	C62 agate grey
Soft Dark Cool Grey 201	C67 anthracite
Soft Grey 203	C1662 pearl-grey
Soft Warm Beige	C1043 cream beige
Soft Warm Grey 206	C79 stone grey
Soft Warm White 205	C1646 pure white
White 862	C7184 creme-white
White Beige Grey 245	C979 sandstone grey
White Grey 872	C81 thistle-grey
Yellow Beige 825	C1043 cream beige



Sealants • Adhesives

Colour recommendations

OTTOSEAL® S 51

The silicone for PVC, rubber and linoleum floors

Tarkett

Index: 21.01.2019

iQ Primo Premium	OTTOSEAL® S 51	
Black 654	C04	black
Dark Blue 666	C958	brilliant blue
Dark Cool Beige 676	C1667	taupe
Dark Cool Grey 675	C67	anthracite
Dark Warm Beige 659	C10	bahamabeige
Light Beige 678	C1657	crema
Light Green 679	C1008	pastel green
Light Grey Yellow 685	C979	sandstone grey
Light Pure Grey 651	C787	flash grey
Light Yellow 661	C1056	pastel yellow
Medium Cool Beige 684	C979	sandstone grey
Medium Dark Pure Grey 671	C1662	pearl-grey
Medium Dark Warm Grey 683	C1662	pearl-grey
Medium Grey Beige 655	C79	stone grey
Medium Warm Beige 658	C1043	cream beige
Red 642	C1063	brown-red
iQ Toro SC	OTTOSEAL® S 51	
Toro Beige 104	C1670	cloud grey
Toro Black 103	C04	black
Toro Brown Yellow 573	C1053	clay
Toro Dark Grey 102	C62	agate grey
Toro Grey 101	C81	thistle-grey
Toro Light Brown 574	C1667	taupe
Toro Light Yellow 572	C5128	pine
Toro White 570	C1670	cloud grey
Toro Yellow Beige 105	C103	sahara

These colour recommendations between pre-fabricated grouts and the corresponding OTTO sealants have been made without taking the colours of floor/wall coverings into account. In the end the optical appearance of the colour of the finished floor/wall will be decisive for the final choice of the sealant colour.

We have set up this colour table in front of you as suggestion without obligation. For your own colour comparisons please order our most recent colour charts with original colour dots! Please note that changing conditions on the building site and varying application techniques for the grouts can lead to colour deviations.

Please see the relevant technical data sheets for technical information and application suggestions for our sealants.

The table in front of you will be updated following market developments. With these colour comparisons all former tables loose their validity.



Sealants • Adhesives